NEW SOUTH WALES.

# VITAL STATISTICS.

# TWENTY-FOURTH ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to Parliament by Command.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

### VITAL STATISTICS.

THE REGISTRAR GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

# MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1879:

#### WITH PREFATORY REPORT.

Sir, Registrar General's Department, Sydney, 17 May, 1880.

I have the honor to forward herewith the returns of Marriages, Births, and Deaths, which have been registered in the Colony during the year 1879.

The estimated population of the Colony on the 31st December shows a total of 734,282 persons, Population. giving an increase of 40,539 souls, or 5.84 per cent. on the estimated population for the previous year. Males are estimated at 409,665, and females at 324,617, or 55.79 per cent. and 44.21 per cent. respectively, so that males were 11.58 per cent. in excess of females. These figures show a much larger increase to our population than has been recorded for many years past.

The following figures give an estimate of the population for the half-years ending 30th June and 31st December respectively:—

HALF-YEAR ending 30th June, 1879.

Births	12,822 20,864	Deaths	5,420 9,990
Total	33,686	Total	15,410

The gain to the population during this half-year amounted to 18,276 souls, by the excess of 7,402 births over deaths, and of 10,874 arrivals over departures.

HALF-YEAR ending 31st December, 1879.

Births	14,111	Deaths	4,780
Arrivals by sea	23,637	Departures by sea	10,705
Total	37,748	Total	15,485

In this period we find an increase of 22,263 persons, the births being in excess of the deaths by 9,331, and the arrivals exceeding the departures by 12,932.

During

Marriages, births, and deaths. During the year 1879 there were 5,391 marriages celebrated in the Colony. The births numbered 26,933, and the deaths 10,200. As compared with the previous year we find that marriages were in excess by 74; births by 1,605, and deaths show a decrease of 563.

(A.)

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales, during each

Quarter of the Year 1879.

Quarter ended.			Births.			Deaths.	
Quarter ended.	Marriages.	Males.	Females.	Total.	Males	Females.	Total.
Sydney—							
31st March	341	427	430	857	347	277	624
30th June	350	476	467	943	290	240	530
30th September	342	528	479	1,007	260	208	468
31st December	384	458	449	907	359	285	644
31st December	304	450	449	9-7	339		
Total	1,417	1,889	1,825	3,714	1,256	1,010	2,266
Suburbs—							
31st March	214	472	483	955	210	195	405
	187			1,000	214	214	428
30th June		526 568	483	, ,	187	159	346
30th September	183		562	1,130		0.	469
31st December	165	556	497	1,053	235	234	409
Total	749	2,122	2,025	4,147	846	802	1,648
Country Districts—			-				
31st March	812	2,268	2,151	4,419	1,140	688	1,828
	813	2,438	2,201	4,639	1,002	603	1,605
30th June		2,602		5,127	904	514	1,418
	847	,	2,525	4,887		501	1,435
31st December	753	2,521	2,366	4,007	934	501	-,433
Total	3,225	9,829	9,243	19,072	3,980	2,306	6,286
New South Wales—							
31st March	1,367	3,167	3,064	6,231	1,697	1,160	2,857
30th June	1,350	3,440	3,151	6,591	1,506	1,057	2,563
30th September	1,372	3,698	3,566	7,264	1,351	881	2,232
31st December	1,302	3,535	3,312	6,847	1,528	1,020	2,548
3180 December	1,302	3,333	3,312				-,540
Total	5,391	13,840	13,093	26,933	6,082	4,118	10,200

#### MARRIAGES.

Marriages,

Sydney.

Suburbs.

Country Districts.

The total number of marriages celebrated in the Colony during the year 1879 was 5,391, which gives a ratio of 7.57 per 1,000 of estimated population. This shows a decrease on the figures of the previous year, and also on the average of the previous nine years. Out of the total number of marriages registered it will be seen that 26.28 per cent. were celebrated in Sydney, 13.90 per cent. in the suburbs, and 59.82 per cent. in the country districts. The number of marriages celebrated in Sydney is 1,417, which gives a rate of 13.17 per 1,000 of estimated population. This is a little lower than the previous year, and 1.14 under the figures of the previous nine years average. Suburban marriages numbered 749, which gives a rate of 8.78 per 1,000 of population. Here we find an advance of 0.97 on the preceding year, and of 5.51 on the average of the previous nine years. In the Country Districts there were 3,225 marriages. The rate per 1,000 is 6.21, being a slight decrease on the rate for the previous year, and also on that for the previous nine years average.

(B.)

Table showing the number of Marriages registered in the Colony of New South Wales during each Quarter of the Years
1870 to 1879.

		Estimated Population at the middle of the Year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	[1870 1871 1872 1873 1874 1875 1876 1877 1878 1879	77,131 79,540 79,745 83,000 86,213 89,796 93,269 97,235 102,056 107,603	297 320 305 316 277 324 321 339 358 341	3 <sup>1</sup> 3 3 <sup>2</sup> 5 256 346 339 3 <sup>2</sup> 4 349 344 386 350	323 316 264 299 306 297 296 350 350 342	302 255 230 297 302 287 298 310 324 384	1,235 1,216 1,055 1,258 1,224 1,232 1,264 1,343 1,418	16'01 15'28 13'23 15'15 14'19 13'72 13'55 13'81 13'89 13'17
			3,198	3,332	3,143	2,989	12,662	

(B.)—continued.

(B.)—continued.

			(21)	······································				
		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Suburbs	1870 1871 1872 1873 1874 1875 1876 1877 1878	53,338 55,004 63,160 65,738 68,281 71,119 73,872 77,014 80,833 85,226	72 46 73 90 80 102 113 114 158 214	59 47 71 65 81 114 101 157 149	60 60 65 69 77 101 117 125 172 183	52 61 77 92 75 109 132 160 153	243 214 286 316 313 426 463 556 632 749	4'55 3'88 4'52 4'80 4'58 5'99 6'26 7'21 7'81 8'78
		8	1,062	1,031	1,029	1,076	4,198	
Country Districts	(1870 1871 1872 1873 1874 1875 1876 1877 1878 1879	363,162 374,504 384,777 400,479 415,976 433,264 450,025 469,163 492,427 519,190	646 657 679 729 689 786 832 791 812 812	539 661 648 710 729 731 713 773 828 813	576 630 613 685 707 740 687 777 815 847	609 575 644 686 681 690 671 754 812	2,370 2,523 2,584 2,810 2,806 2,947 2,903 3,095 3,267 3,225	6.52 6.73 6.71 7.01 6.74 6.80 6.45 6.58 6.63 6.21
			7,433	7,145	7,077	6,875	28,530	
New South Wales	1870 1871 1872 1873 1874 1875 1876 1877 1878 1879	493,631 509,048 527,682 549,217 570,470 594,179 617,166 643,412 675,316 712,019	1,015 1,023 1,057 1,135 1,046 1,212 1,266 1,244 1,328 1,367	911 1,033 975 1,121 1,149 1,169 1,163 1,274 1,363	959 1,006 942 1,053 1,090 1,138 1,100 1,252 1,337 1,372	903 891 951 1,075 1,058 1,086 1,101 1,224 1,289	3,848 3,953 3,925 4,384 4,343 4,605 4,630 4,994 5,3 <sup>1</sup> 7 5,39 <sup>1</sup>	7.79 7.76 7.44 7.98 7.61 7.75 7.51 7.76 7.87
			11,693	11,508	11,249	10,940	45,390	

Out of the total number of marriages (5,391) for the year it will be seen that 4,491 (83 per cent.) Marriages of Denominations. The remaining nine Denominations show 574 (11 per cent.), and Registrars' Offices 322 (6 per cent.). The percentages which the number of marriages celebrated by each denomination bear to the total number of marriages are as follow:—

Church of England ... 40.47 Roman Catholic ... 18.21 Presbyterian ... ... ... 13.39 Wesleyan ... 11.22 ... Congregational ... 6.14 Primitive Methodist 2.06 Baptist ... ... 1.67 ...

The remaining Denominations are all under 1 per cent.

(C.)

1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.
1,159 908 548 363 70	1,232 885 648 364 60	1,381 836 827 397 73	1,547 992 914 462 60	1,572 837 886 518 60	1,618 953 906 502 93	1,759 921 761 487 101	1,869 990 854 509 110	2,098 1,009 821 556 94	2,182 982 722 605 111
37	30	51	44	52	46	39	<sup>243</sup> 70	89	331
3 4	4	3 6	3 10	I 10	11	 14	20	1 20	1 22
451 7	395 4	9	7				20		 I3
	3		•••••		4		3		7
215	219	191	179	208	250	275	303	309	322
	1,159 908 548 363 70 82 37  451 7	1,159	1,159	1,159     1,232     1,381     1,547       908     885     836     992       548     648     827     914       363     364     397     462       70     60     73     60       82     99     148     164       37     30     51     44       34     10     6     10       34     10     6     10       395     3     3       7     4     9     7       1     3     3        215     219     191     179	1,159     1,232     1,381     1,547     1,572       908     885     836     992     837       548     648     827     914     886       363     364     397     462     518       70     60     73     60     60       82     99     148     164     180       37     30     51     44     52       34     10     6     10     10       10     6     10     10     10       10     6     10     10     10       1     3     3     14     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1     14       1     3     3     1<	1,159     1,232     1,381     1,547     1,572     1,618       908     885     836     992     837     953       548     648     827     914     886     906       363     364     397     462     518     502       70     60     73     60     60     93       82     99     148     164     180     186       37     30     51     44     52     46          3     4     3     3     1     1       4     10     6     10     10     11        2     5     16       451     395          7     4     9     7     14     17       1     3     3      4          4          4	1,159     1,232     1,381     1,547     1,572     1,618     1,759       908     885     836     992     837     953     921       548     648     827     914     886     996     761       363     364     397     462     518     502     487       70     60     73     60     60     93     101       82     99     148     164     180     186     232       37     30     51     44     52     46     39       3     4     3     3     1     1	1,159     1,232     1,381     1,547     1,572     1,618     1,759     1,869       908     885     836     992     837     953     921     990       548     648     827     914     886     906     761     854       363     364     397     462     518     502     487     509       70     60     73     60     60     93     101     110       82     99     148     164     180     186     232     243       37     30     51     44     52     46     39     70       3     4     3     3     1     1         4     10     6     10     10     11     14     20        2     5     16     16     3       451     395             7     4     9     7     14     17     19     20       1     3     3       4     4     3                 2 </td <td>1,159     1,232     1,381     1,547     1,572     1,618     1,759     1,869     2,098       908     885     836     992     837     953     921     990     1,009       548     648     827     914     886     906     761     854     821       363     364     397     462     518     502     487     509     556       70     60     73     60     60     93     101     110     94       82     99     148     164     180     186     232     243     291       37     30     51     44     52     46     39     70     89       33     4     3     3     1     1    </td>	1,159     1,232     1,381     1,547     1,572     1,618     1,759     1,869     2,098       908     885     836     992     837     953     921     990     1,009       548     648     827     914     886     906     761     854     821       363     364     397     462     518     502     487     509     556       70     60     73     60     60     93     101     110     94       82     99     148     164     180     186     232     243     291       37     30     51     44     52     46     39     70     89       33     4     3     3     1     1

MARRIAGE TABLE of Increase and Decrease.

Denomination.	1878.	1879.	Per cent.	Per cent.	Increase Per cent.	Decrease Per cent
Church of England	2,098	2,182	39.46	40.47	1,01	
Roman Catholic	1,000	982	18.08	18.51		0.77
Presbyterian	821	722	15'44	13'39		2'05
Wesleyan	556	605	10.46	11,55	0.46	
Congregational	291	331	5.47	6.14	0.67	
Primitive Methodist	94	111	1.77	2.06	0.50	
Baptist	80	90	1.68	1.67		0,01
Hebrew	20	22	0.38	0.40	0'02	
Protestant Episcopal	7	2	0.13	0'03		0,10
German Evangelical	ıı l	13	0.50	0.24	0'04	
Christian	II	7	0.50	0,13		0.02
Unitarian	т	, T	0.03	0,05		
Welsh Church	-	T		0,05	0°02	
Registrars' Offices	309	322	5.81	6.00	0,10	
	5,317	5,391	100,00	100,00	3.00	3.00

The table marked "C" shows the number of marriages celebrated by each Denomination and by Registrars for a period of ten years. The figures immediately following Table C compare the number of marriages given in that table for the year under consideration with the previous year, and also give the percentages of increase and decrease of each Denomination.

TABLE of Bachelors, Spinsters, &c.

	No. of Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Men.	Divorced Women.
SydneySuburbs Country Districts	1,417 749 3,225	1,266 674 2,950	1,234 686 2,925	150 75 272	182 63 299	3	II
Total	5,391	4,890	4,845	497	544	4	2

Bachelors, Spinsters, &c. The total number of persons married in the Colony during the year 1879 was 10,782, of whom we find that 4,890 (45.35 per cent.) are shown to have been bachelors, 4,845 (44.93 per cent.) spinsters, 497 (4.61 per cent.) widowers, and 544 (5.05 per cent.) widows. There were also 4 divorced men and 2 divorced women who were again united in matrimony.

#### TABLE of Minors.

No. of	No. of				
Marriages.	Male	Female.	Total.		
1,417 749 3,225	35 15 75	267 147 1,049	302 162 1,124		
 5,391	125	1,463	1,588		

#### TABLE of Minors and Marks.

	Males.	Females.	Total.
SydneySuburbs Country Districts	I	7 7 82	7 8
Total		97	102

Minors, &c.

From the above figures we see that there were 125 males and 1,463 females, in all 1,588 persons, who entered the married state under the age of 21 years. The percentage of minors to total number married is 14.74. The number of minors who were unable to sign their names is 102, consisting of 5 males and 97 females, being 6.42 per cent. of the total number of minors married. As compared with the figures of the previous year there is a decrease of 21 persons.

	No. of					Marks		
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.	per cent.
Sydney Suburbs Country Districts	749	1,334 715 2,972	1,318 718 2,907	2,652 1,433 5,879	8 <sub>3</sub> 34 253	99 31 318	182 65 571	6·42 4·34 8·85
Total	5,391	5,021	4,943	9,964	370	448	818	

From the total number of persons married (10,782) there were 818 or 7.58 per cent. who failed to sign their names on the forms prescribed by law. The number of males was 370, and of females 448, being 45.23 and 54.77 per cent. respectively of those who formed this class of persons. The total percentage for the Colony is 0.50 lower than for the previous year. The proportion which those who were married, and unable to write, bear to the total number married in each of the following divisions is as follows:—Sydney, 6.42; Suburbs, 4.34; Country, 8.85. The city percentage is less by 0.74 than that of the previous year. The Suburbs show a decline of 0.25, and the Country Districts of 0.36.

#### BIRTHS.

During the year 1879 there were 26,933 births registered, comprising 13,840 males and 13,093 females; male births forming 51·39 per cent., and female births 48·61 per cent., the difference in favour of the former being 2·78 per cent. The disproportion between male and female births is 0·52 lower than the previous year. The ratio of births to every 1,000 of estimated population is 37·82, which shows an increase of 0·32 on the rate of the previous year, but 0·61 under the average of the previous nine years. The decennial table shows that the largest number of births are registered in the September and December quarters of the year. In the City the registered births for the year numbered 3,714, which gives a rate sydney. of 34·51 per 1,000 of population. These figures give an increase of 0·38 on the year preceding, and are lower than the average of the previous nine years by 1·51. The Suburban births for the year are Suburbs. shown to have been 4,147 in number, and the birth rate 48·66. This is 3·21 in excess of the previous year's rate, and is the highest recorded during the last ten years; it is also 5·74 higher than the average rate of the previous nine years. In the Country Districts we find the number of births for the year was Country 19,072, and the birth-rate 36·73, which is 0·16 lower than that of the previous year, and also 1·49 under the average of the previous nine years.

(D.)

Table showing the number of Births registered in the Colony of New South Wales during each Quarter of the Years
1870 to 1879.

		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
	[1870 1871	77,131 79,540	685 724	757 752	773 802	694 702	2,909 2,980	37.71 37.48
	1872	79'745	700	729	727	723	2,879	36.00
	1873	83,000	760	755	826	724	3,065	36.92
Sydney	1874	86,213 89,796	762 748	775 858	824	760	3,121	36.50
	1876	93,269	838	865	797 873	759	3,162	35.51
	1877	97,235	818	796	896	734 889	3,310	35.48 34.95
	1878	102,056	846	851	956	831	3,484	34'13
	[1879	107,603	857	943	1,007	907	3,714	34.2
			7,738	8,081	8,481	7,723	32,023	
	[1870	53,338	596	679	654	617	2,546	47.73
	1871	55,004 63,160	632	652	666	651	2,601	47.28
	1873	65,738	580 696	700	659	585	2,436	38.26
Q-11-	1874	68,281	637	713	729	657 708	2,763 2,787	42'00
Suburbs	1875	71,119	685	740	785	698	2,908	40.80
	1876	73,872	721	772	832	733	3,058	41.30
	1877	77,014	719	821	868	838	3,246	42'1
	1878	80,833	854	900	1,014	906	3,674	45.4
	[1879	85,226	955	1,009	1,130	1,053	4,147	48.66
			7,075	7,598	8,047	7,446	30,166	
	[1870	363,162	3,234	3,493	3,892	3,574	14,193	39.08
	1871	374,504	3,521	3,537	3,903	3,601	14,562	38.88
	1872	384,777	3,687	3,624	3,941	3,683	14,935	38.8
S . D	1874	415,976	3,755 3,824	3,509	4,202 4,331	4,150 4,212	15,616 16,270	38.0
Country Districts	1875	433,264	3,893	4,113	4,282	4,170	16,458	37'9
	1876	450,025	4,091	4,048	4,505	4,286	16,930	37.6
	1877	469,163	4,083	4,220	4,657	4,246	17,206	36.6
	1878	492,427	4,262	4,414	5,006	4,488	18,170	36.8
	[1879	519,190	4,419	4,639	5,127	4,887	19,072	36.7
		1	38,769	39,500	43,846	41,297	163,412	
	[1870	493,631	4,515	4,929	5,319	4,885	19,648	39.8
	1871	509,048 527,682	4,877 4,967	4,941	5,371	4,954	20,143	39.5
	1873	549,217	5,211	4,964	5,327 5,738	4,991 5,531	20,250	38.3
Now Couth Welca	1874	570,470	5,223	5,391	5,884	5,680	22,178	38.8
New South Wales	1875	594,179	5,326	5,711	5,864	5,627	22,528	37.9
	1876	617,166	5,650	5,685	6,210	5,753	23,298	37.7
	1877	643,412	5,620	5,837	6,421	5,973	23,851	37.0
	1878	675,316	5,962	6,165	6,976	6,225	25,338	37.5
	[1879	712,019	6,231	6,591	7,264	6,847	26,933	37.8
			53,582	55,179	60,374	56,466	225,601	

Illegitimates.

The number of births of children registered as born out of wedlock during the year 1879 is 1,215, which is an increase of 194 on the previous year. This gives a percentage of 4.51 to total number of births registered, and is 0.48 in excess of the percentage for the previous year. According to the latest reports to hand, the percentage of these births in Ireland was 2.7, in England, 4.7, and in Scotland 8.9. The illegitimate birth rate of the Colony per 1,000 of population is 1.70, as against 1.51 for the previous year. The percentage of illegitimate births to total births registered in each of the following divisions is as follows:—Sydney, 10.47; Suburbs, 2.82; Country Districts, 3.72.

(E.)

TABLE showing the number of CHILDREN born out of Wedlock in the Colony of New South Wales, from 1st January, 1870, to 31st December, 1879.

		Sydney.			Suburban.		Co	untry Distri	cts.		Total.	
Year.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
1870	90	95	185	52	38	90	250	230	480	392	363	755
1871	105	IOI	206	30	31	61	259	256	515	394	388	782
1872	94	88	182	34	32	66	287	281	568	415	401	816
1873	98	101	199	42	44	86	293	311	604	433	456	889
1874	117	124	241	40	48	88	305	301	606	462	473	935
1875	132	128	260	41	44	85	321	281	602	494	453	947
1876	170	136	306	43	45	88	309	247	556	522	428	950
1877	161	144	305	34	43	77	315	292	607	510	479	989
1878	165	152	317	54	54	108	317	279	596	536	485	1,021
1879	195	194	389	65	52	117	345	364	709	605	610	1,215
	1,327	1,263	2,590	435	431	866	3,001	2,842	5,843	4,763	4,536	9,399
	0.00											

Triplets and Twins. In the year 1879 there were two cases recorded of triplet births, and 203 cases of twins. The number of children born as triplets and twins forms 1.52 per cent. of total number of births.

(F.)

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from 1st January, 1870, to 31st December, 1879.

		Tri	plets.			Tw	vins.	
Year.	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
	- 10							
1870	2	I	5	6	188	189	187	376
1871	I	2	I	3	194	198	190	388
1872	5	7	8	15	179	173	183	356
1873	I		3	3	189	204	173	377
1874	4	9	3	12	177	182	171	353
1875	I		3	3	200	180	219	399
1876	I	I	I	2*	195	188	193	381
1877					209	222	193	415
1878	2	3	I	4†	196	195	197	392
1879	2	I	5	6	203	206	198	404
			1			-		
	19	24	30	54	1,930	1,937	1,904	3,841

<sup>\*</sup> One still-born.

<sup>†</sup> Two still-born.

#### DEATHS.

The total number of deaths registered in the Colony during the year 1879 was 10,200, being 563 less than in the previous year. Deaths of males numbered 6,082, and of females 4,118, the percentage being 59.63 and 40.37 respectively; so that male deaths were 19.26 per cent. in excess of female. The death-rate for the Colony per 1,000 of population is 14.32, which is lower by 1.64 than that of the previous year, and 0.86 under the average of the previous nine years. The death rate of the year under consideration is lower than that of any year in the previous quinquennial period. The city death rate is shown to be 21.05, which sydney is 1.69 lower than that of the previous year, and also 2.00 lower than the average of the previous nine years. In the Suburbs the death rate is 19.33. Here again we find an improvement of 1.09 in favour of suburbs. the year under report, as compared with the previous year, but an increase of 1.38 on the average of the previous nine years. The Country Districts show a death rate of 12.10, which is a decrease of 1.67 on the country District. rate of the previous year, and 0.85 under the average of that of the previous nine years. This death rate is lower than that for any of the previous nine years.

(G.)

TABLE showing the number of DEATHS registered in the Colony of New South Wales, during each Quarter of the Years
1870 to 1879.

		1870 to 1	1879.				
	Estimated population at the middle of each year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	71 79,540 72 79,745 73 83,000 74 86,213 75 89,796 76 93,269 77 97,235 78 102,056	386 332 477 468 460 900 758 525 644 624	355 362 398 430 401 560 699 519 584 530	337 439 438 408 492 562 565 419 540 468	414 450 497 494 724 651 469 537 553 644	1,492 1,583 1,810 1,800 2,077 2,673 2,491 2,000 2,321 2,266	19'34 19'90 22'69 21'68 24'09 29'76 26'70 20'57 22'74 21'05
Suburbs	71 55,004 72 63,160 73 65,738 74 68,281 75 71,119 76 73,872 77 77,014 78 80,833	200 182 244 213 298 533 516 331 414 405	193 169 184 248 291 332 505 375 481 428	187 247 192 249 262 295 332 258 349 346	210 285 295 287 348 487 332 357 407 469	790 883 915 997 1,199 1,647 1,685 1,321 1,651 1,648	14.81 16.05 14.48 15.16 17.56 23.15 22.81 17.15 20.42 19.33
Country Districts	71 374,504 72 384,777 73 400,479 74 415,976 75 433,264 76 450,025 77 469,163 78 492,427	3,336 1,216 988 1,418 1,326 1,749 1,738 1,987 1,895 1,828	3,206 1,122 949 1,134 1,180 1,409 1,879 1,954 1,765 1,953 1,605	2,717 994 969 1,110 1,169 1,309 1,452 1,739 1,450 1,447 1,418	3,477 944 1,035 1,081 1,139 1,308 1,371 1,586 1,346 1,496 1,435	12,736 4,276 3,941 4,743 4,814 5,376 6,451 7,017 6,548 6,791 6,286	11.77 10.52 12.32 12.02 14.89 15.59 13.95 13.77 12.10
New South Wales	78   675,316	15,495 1,802 1,502 2,139 2,007 2,108 3,182 3,012 2,843 2,953 2,857	14,950 1,670 1,480 1,716 1,858 2,101 2,771 3,158 2,659 3,018 2,563	13,057 1,518 1,655 1,740 1,826 2,063 2,309 2,636 2,127 2,336 2,232	12,741 1,568 1,770 1,873 1,920 2,380 2,509 2,387 2,240 2,456 2,548	56,243 6,558 6,407 7,468 7,611 8,652 10,771 11,193 9,869 10,763 10,200	13.28 12.58 14.15 13.85 15.16 18.12 18.13 15.34 15.94 14.32
		24,405	22,994	20,442	21,651	89,492	

#### INFANTILE MORTALITY.

From the total deaths of the year (10,200) we find that 4,369 or 42.83 per cent. were registered as those of children under five years of age. This percentage is lower than the figures for the previous year by 2.54 per cent., and is also slightly under the average percentage of the previous nine years. In the City these deaths formed 39.67 per cent. of the total deaths. These figures are lower than for any one sydney. year in the decade, and are also 4.20 under the average of the previous nine years. It will be seen that

Suburbs.

Country Districts. the rate of infantile mortality is lower in Sydney than in the Suburbs or Country Districts. This is to be accounted for by the fact that about one-fifth of the deaths in Sydney occurred in Hospitals and Asylums and were for the most part the deaths of adults. The infantile mortality of the Suburbs forms 54.73 per cent. of the total deaths (1,648). This rate is lower by 0.99 than that of the previous year, but a little in excess of the average of the previous nine years. The Country Districts show an infantile mortality of 40.85 per cent. to total deaths. This percentage is 2.47 under that of the preceding year, but 0.78 higher than the average of the previous nine years.

(H.) INFANTILE MORTALITY.

			Percentage of total		Sydne	ey.		Subur	bs.	Co	ountry Dis	tricts.
Year.	Total Deaths of the year.	Total Deaths under 5 years.	Deaths under 5 years to Deaths of the year.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Death
1870	6,558	2,803	42.74	1,492	673	45.10	790	411	52.02	4,276	1,719	40.20
1871	6,407	2,705	42.21	1,583	743	46.93	883	487	55.15	3,941	1,475	37.42
1872	7,468	3,203	42.91	1,810	815	45.02	915	503	54.97	4,743	1,885	39.74
1873	7,611	2,924	38.42	1,800	719	39.94	997	510	51.15	4,814	1,695	35.62
1874	8,652	3,768	43.55	2,077	929	44.72	1,199	672	56.04	5,376	2,167	40.31
1875	10,771	4,958	46.03	2,673	1,264	47.29	1,647	913	55.43	6,451	2,781	43.10
1876	11,193	4,670	41.72	2,491	1,024	41.10	1,685	917	54.42	7,017	2,729	38.89
1877	9,869	4,293	43.49	2,000	815	40.75	1,321	723	54.73	6,548	2,755	42.07
1878	10,763	4,884	45.37	2,321	1,022	44.00	1,651	920	55.72	6,791	2,942	43.32
1879	10,200	4,369	42.83	2,266	899	39.67	1,648	902	54.73	6,286	2,568	40.85
	89,492	38,577		20,513	8,903		12,756	6,958		56,243	22,716	
Iean of 10 years	8,949	3,857		2,051	890		1,273	695		5,624	2,271	

Table showing the Births and Deaths of Males and Females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1879, distinguishing the Deaths under 5 years of age.

			Births.				Dea	ths.			
Wards.	Population Census, 1871.		Dir ons.		1	Under 5 year	3.	1	Above 5 years	S.	Total Deaths.
		Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
r. Gipps	8,969	234	185	419	46	25	71	69	46	115	186
2. Bourke		54	47	101	13	13	26	261	192	453	4791
3. Brisbane	7,269	124	101	225	37	25	62	48	29	77	139
4. Macquarie	7,945	129	132	261	36	33	69	39	35	74	143
5. Cook	14,694	503	522	1,025	128	109	237	114	84	198	435
6. Fitzroy	12,000	243	246	489	58	50	108	91	95	186	294
7. Phillip	8,154	310	317	627	87	84	171	67	53	120	291
8. Denison	10,135	292	275	567	87	68	155	75	69	144	299
Totals	*74,423	1,889	1,825	3,714	492	407	899	764	603	1,367	2,266

<sup>\*</sup> Exclusive of the Islands in Port Jackson. † 314 of these deaths occurred in the Sydney Infirmary, and 68 in the Hyde Park Asylum. † St. Vincent's Hospital, 30 deaths; Darlinghurst Gaol, 14; and Lunatic Reception House, 1. § Benevolent Asylum, 72.

Comparing the number of deaths under 5 years of age with the total deaths registered in each of the Suburban Districts we find the following to be the percentages:—Redfern, 58·63; Waterloo, 56·84; Concord, 55·73; Newtown, 55·60; Glebe, 55·30; Balmain, 55·02; Paddington, 53·25; St. George, 50·86; St. Leonards, 45·00.

	Population, Census, 1871.	Births.	Deaths under 5 years.	Deaths.
1. Sydney 2. Balmain 3. Glebe	76,159 6,886 5,721 7,922 8,092 6,306 11,411 3,520 5,340 5,126	3,714 590 392 540 595 472 483 32 70 68 252 359 266 28	899 104 94 139 146 112 98 8 13 12 68 59 40	2,266 189 170 250 249 197 181 16 29 20 122 116 93

																		P	ercent	age of-																			
Ward.		Death	s unde	r 5 yea	rs to t	otal De	eaths in	n each	Ward.			De	aths u	nder 5	years	to Birt	hs in e	ach W	ard.				Total :	Death	s to Bi	rths in	each	Ward				Total	Death (C				in ead 18 <b>7</b> 1.)	eh Wa	ard.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870	. 1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870.	1871.	1872.	873.	1874.	1875.	1876. 1	877.	1879.
1. Gipps	. 51.53	57.05	48.48	45.39	52.34	56.13	42.13	51.40	43.30	38.17	19.30	22.82	22.47	20.96	29.71	37.37	23.04	22.66	24.25	16.94	37.45	40.00	46.34	46.17	56.76	66.58	54.68	14.09	56.00	14.39	1.81	.75 1	.84 1	81 2	2.38 2	82 2	2.41 2	.00	2.50 2.07
*2. Bourke	. 11.41	13.01	13.53	10.74	9.44	12.50	6.57	9.46	9:05	5.43	26.62	35.07	40.16	36.52	36.21	55.09	25.20	35.00	31.75	25.74										(	6 28	.86	88 7	43 8	.46 9	-89	9.26 8	.44 2	9.11
3. Brisbane	. 50.72	58.82	47.91	39.86	56.73	49.05	45.15	41.10	52.38	44.60	24.47	27:30	23.09	18.91	41 99	38.01	36.47	29.13	30.43	27.55	48.25	45.41	48.16	47.43	74.02	77.49	80.78	70.87	58.10	31.77	2.18 1	.87 1	.98 2.	03 2	86 2	89 2	2.83 2	.24 2	.02 1.91
4. Macquarie	. 46.96	53.02	51.87	46.71	43.24	50.27	49.71	48.61	51.65	48.25	16.48	21.16	25.27	22.45	22.94	33.21	29.29	24.65	29.77	26.44	35.10	39.78	48.71	44.56	53.05	66.07	58.92	50.70	57.63	54.79	.46	.37	.67 1.	72 1	86 2	33 2	2.20 1	·81 1	.90 1.80
5. Cook	. 63.72	57.14	55.62	53.77	61.16	58.27	58.27	52.25	55.45	54.48	22.49	18.93	27.51	23.95	30.62	41.00	34.65	20.56	26.67	23.12	35.30	33.12	49.45	44.54	50.07	70.37	59.47	39.35	48.09	12.44	2.60 1	.48 2	18 2	25 2	.47 3	.62	3.37 2	.56 2	99 2.96
6. Fitzroy	. 46.66	52.57	42.75	39.14	47.53	46.91	40.97	38.34	39.02	36.73	25.21	31.56	27.00	23.11	28.72	39.48	33.48	21.41	26.78	22.08	50.77	60.04	63.15	59.03	60.42	84.16	31.72 5	55.85	68.62	30.12	2.70 2	26 2	.30 2.	15 2	37 2	23 3	3.09 2	.11 2	73 2.45
7. Phillip	. 59.37	65.62	57.47	53.84	57.14	61.59	49.82	58.95	64.16	58.76	26.76	29.34	27.47	23.09	27.55	38.28	28.25	27.44	34.62	27.27	45.07	44.56	47.80	42.89	48.22	62.15	56.71 4	6.54	53.96	16.41	2.70 1	.96 2	13 2.	07 2	66 3	.54	3.42 2	81 3	59 3.57
8. Denison	. 54.60	56.27	64.41	54.18	56.56	64.53	54.02	54.03	56.42	51.84	22.13	22.98	39.89	25.82	26.48	44.31	30.92	25.00	32.94	27.34	40.54	40.75	61.94	47.65	46.81	68.68	57.24 4	6.27	58.38	52.73	2.02 1	69 2	33 2	00 1	.95 2	.92	2.57 2	08 2	92 2.95

\*The Infirmary is situated in Bourke Ward.

(J.)

																			Percen	tage of																			
District.		Death	s unde	r 5 yea	rs to to	otal De	aths in	each I	District	i.		Dea	ths un	der 5 y	ears to	Birth	s in ea	ch Dist	triet.			To	otal De	eaths	to Birt	hs in	each D	istric	t.		,	Total	Death	is to . Censi	Popul is 186	ation 1 and	in ea l 1871.	ch Dis	strict.
	1870.	1871.	1872	. 1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1879.	1879.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878. 1879
1. Sydney	45.10	46.94	45.02	39.94	44.72	47.29	41.10	40.70	44.00	39.67	23.13	24.93	28.30	23.49	29.76	39.97	30.93	23.24	29.33	24.20	51.28	53.12	62.86	58.72	66.55	84.53	75.25	58.84	56.62	61.01	2.93	2.07	2.37	2.36	2.72	3.20	3.27	2.62	3.05 2.97
2. Balmain	52.94	58.06	61.54	57.62	64.62	61.43	63.05	52.94	64.35	55.03	18.30	17.76	22.00	18.88	25.06	33.24	34.13	18.24	27.04	17.63	34.57	30.60	35.73	32.77	38:78	54.12	54.13	34.45	12.02	32.03	2.58	1.35	1.52	1.71	2.13	3.05	2.94	2.22	3.14 2.74
3. Glebe	60.16	52.87	53.93	49.07	57.44	63.52	53.25	56.25	50.31	55.30	24.58	16.91	17.84	17.32	27.93	33:44	28.21	26.13	24.69	23.96	40.86	31.98	33.08	35.29	48.62	52.64	53.00	16.45	19.09	43.36	3.31	1.52	1.55	1.88	2.46	2.77	2.95	2.51	2.85 2.97
4. Newtown	41.77	53.12	47.36	52.41	57.83	52.90	53.55	57.17	51.37	55.60	12.17	19.10	18.15	19.95	23.13	39.24	27.83	24.73	25.24	25.74	29.15	35.95	38.32	38.05	40.00	74.19	51.97	13.34	19.14	46.29	1.86	1.45	1.67	1.83	2.09	3.69	2.66	2.59	3.24 3.15
5. Redfern	. 63.15	66.40	65.51	55.15	57.00	60.90	54.16	60.00	58.94	58.62	19.41	23.38	24.35	22.75	23.72	32.00	27.95	23.23	25.35	24.54	30.73	35.21	37.17	41.25	41.63	52.50	51.61	38.70	12.97	41.84	3.11	1.98	1.79	2.03	2.21	2.72	2.96	2.22	2.68 3.07
*6. Waterloo			66.94	57.14	67.54	68.04	55.34	57.92	67.20	56.84			27.27	24.43	33.44	36.87	32.30	26.53	31.65	23.72			40.74	42.76	49.50	54.19	58.35	45.81	17.09	41.73			1.91	2.10	2.39	3.08	3.26	2.60	2.95 3.12
7. Paddington	45.37	54.60	52.72	44.56	51.04	54.06	54.64	52.90	55.56	54.14	13.00	20.75	24.54	16.14	26.07	32.33	33.48	19.29	23.06	20.28	28.64	38.00	46:61	36.14	51.07	59.81	66.06	36.47	£1·51	37.47	1.58	1.30	1.44	1.31	1.98	2.27	2.77)		
* Randwick)																			23.06	25.00									54.76	50.00								-1.69	2.19 2.15
Waverley			18.18	40.00	33.33	32.26	20.68	36.84	43.48	53.25			18.18	13 33	17.64	37.03	13.04	18.18	22.95	18.56				33.33	53.00		63.04	19.35	17.54	41.42					1.04	1.79	1.68		
Woollahra.															1.																								
8. Concord	36.73	43.90	44.67	50.00	40.10	44.70	55.00	58.25	59.17	55.73	12.94	12.58	16.28	15.33	13.12	23.89	37.42	32.08	35.86	26.98	35.25	28.67	37.20	30.26	32.50	53.46	68.10	55.08	60.61	48.41	2.07	1.16	1.33	1.30	1.47	2.41	3.15	2.92	3.41 3.46
9. St. George					1												1	1000					1000								1000								
10. St. Leonards	1		1 7 3 7		1														1							V. 134 13 19 1							100				1		
Manly									40.00										10.81											57.14								}	2.28 2.12

<sup>\*</sup> Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872; and Waverley, Sub-district of Paddington, 1st August, 1876; Woollahra a Sub-district of Paddington, 1st August, 1878; Manly a Sub-district of St Leonards, 1st July.

The following table gives the percentages of the various diseases which have proved fatal during the year 1879 and nine previous years. As far as the year under review is concerned, we find 20.63 per cent. of deaths under the head of Zymotic Diseases, the greater part of which include Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. These diseases are 5 per cent. lower than the figures of the previous year, and 1.07 per cent. lower than the previous nine years average.

Deaths from Constitutional Diseases, consisting of Gout, Dropsy, Cancer, Scrofula, Phthisis, &c., show a percentage of 13:37 to total deaths. Here we see an increase of 1:57 in the percentage of the previous year, and also of 0.93 on the average of the previous nine years.

Local Diseases form 39.81 per cent. of total deaths. Under this head are Apoplexy, Paralysis, Insanity, Convulsions, Aneurism, Pneumonia, Asthma, Pleurisy, Gastritis, Peritonitis, &c. These diseases are 2:44 per cent. in excess of those for the previous year, and 1:39 per cent. higher than the average of the previous nine years.

Developmental Diseases, comprising Cyanosis, Teething, Childbirth, Old Age, Atrophy, &c., show that the percentage of deaths from these causes amounted to 17.67 of total deaths. These figures are about the same as for the previous year, and also for the average of the nine years preceding.

Deaths from Violence form 8.03 per cent. of total deaths.

		(K.								
Class I.—Zymotic Diseases.	1870. Per- centage.	1871. Per- centage.	1872. Per- centage.	1873. Per- centage.	1874 Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage	1878 Per- centage.	1879. Per- centage
Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c 2.—Enthetic Diseases—Syphilis, Gonorrhæa,	17.37	16.28	19.09	15.2	20.09	27.13	26-36	19.85	22.66	18.37
&c	0.26	0.58	0.36	0.46	0.34	0.53	0.44	0.52	0.51	0,31
4.—Parasitic Diseases, Thrush, Worms, &c	0.34	0.36	0.50	0.58	0.45	0.39	0.42	2°57 0°59	0.46	0.45
CLASS II.—CONSTITUTIONAL.	18.95	18.38	21.03	17.85	22.38	29.46	29.23	23.57	25.61	20.63
Order 1.—Diathetic Diseases—Gout, Dropsy, Cancer, &c	3.2	4.03	4.09	4.52	3.69	3.54	3.28	3.48	3.35	3.38
Hydrocephalus, &c	6.01	9.54	9.2	8.78	8.74	8.55	7.83	8.67	8.41	9.99
CLASS III.—LOCAL.	12.23	13.52	13.61	13.05	12.43	11.46	11.41	12.45	11.80	13.37
Order I.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c	T 4:44	15.36	15'22	15.50	14.62	12,13		13.62	12:26	10:10
2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c	6.08	5.85	2.01	5.99	5.73	4.61	4.79	4.84	13.26	5.92
3.—Respiratory—Bronchitis, Pneumonia, Asthma, Pleurisy, &c	9.64	10.47	9.35	10.87	11.34	10,13	10.09	10.87	10.03	10.53
nitis, Hernia, &c	6.67	1.64	6.81	7.12	6.31	6.64	6.36	7.27	7.07	7.35
6.—Generation—Ovarian Dropsy, Uterus Diseases, &c.	0.24	0.34	0.47	0.5	0.12	0.51	0.24	0.08	0.04	0,11
7.—Joints—Arthritis, Ostitis, Periostitis, &c. 8.—Integumentary—Phlegmon, Ulcer, Skin Disease, &c	0.15	0.14	0,13	0.09	0,13	0,10	0.18	0.19	0,10	0,10
CLASS IV.—DEVELOPMENTAL.	38.28	41.09	38.44	41.26	40.09	35.62	35.51	37.87	37.37	39.81
Order 1.—Children—Cyanosis, Spina-Bifida,					-3					
Teething, &c.  2.—Adults—Paramenia, Childbirth, &c.  3.—Old People—Old Age, &c.  4.—Nutrition—Atrophy, Debility	5.46 0.70 5.32 7.37	4.62 0.80 5.26 6.54	5.06 0.49 5.54 6.25	4.32 0.74 6.42 7.06	4.36 1.00 5.13 6.27	4.68 0.98 4.96 5.57	4.23 1.26 5.45 4.98	6.528 1.03 5.08 5.21	5.63 0.80 5.90 5.03	4.89 0.72 6.46 5.60
CLASS V.—VIOLENCE.	18.85	17.22	17.34	18.24	16.76	16.19	15.92	17.90	17.36	17.67
Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c	9.68	8.67	7.91	7.82	6.84	6.02	6.34	6.72	6.83	7.41
3.—Homicide—Murder and Manslaughter 4.—Suicide—Poison, Drowning, Hanging, &c. 5.—Execution—Hanging	0.23	0°34 0°44 0°03	0°27 0°55 0.07	0°24 0°46 0°05	0.58 0.62 0.03	0.12 0.48 0.05	0.45	0.01	0'2I 0'23 0'0I	0.42
Unclassified—Violent Deaths	10.34	9.48	8.80	8:57	7.80	6.24	7.03	7:55	7.28	8.03
Unspecified	0.75	0.26	0.48	0.43	0.24	0.20	0.00	0.06	0.28	0.49

The following table shows the deaths of all ages from 1 to 100, distinguishing those which occurred in Sydney, Suburbs, and Country Districts respectively:—

TABLE showing the Deaths of all Ages from 1 to 100 years, in Sydney, Suburbs, and the Country Districts, for the year ended 31st December, 1879.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and upwards.	Age unspecified.	Grand Total.
Males— Sydney Suburbs Country District	. 347 . 306 s 924	107	31 27 108	19	- 6	30 21 106	16 10 89	30 9 89	45 18 132	58 19 115		79 29 171	71 29 193	78 41 180	51 30 179	52 31 159	59 27 240	48 24 211	39 32 201	15 17 171	15 17 97	1 3 33	2 1 21	2	5	 3 55	1256 846 3980
Total	. 1577	453	166	85	61	157	115	128	195	192	241	279	293	299	260	242	326	283	272	203	129	37	24	2	5	58	6082
Females— Sydney Suburbs Country District	. 265 288 8 756	113	20	10	11 6 40		8 16 71	28 16 55	43 34 72	48 28 87	43 20 70	45 26 87	63 22 76	42 24 59	30	37 18 49	34 24 80	45 22 75	41 17 70	32 23 47	6 12 40		4 1 5	2	2	6	1010 802 2306
Total	. 1309	423	141	97	57	144	95	99	149	163	133	158	161	125	143	104	138	142	128	102	58	22	10	3	2	12	4118

The first of the following tables gives the percentage which certain specified causes of death bear to the total number of deaths registered in Sydney, Suburbs, and Country Districts respectively; and the second table gives the number of deaths from certain specified causes, under and over five years of age, in each of the above-named divisions:—

	Sydney.	Suburbs.	Country Districts.		Sydney.	Suburbs.	Country
Scarlatina	0.22	0'42	0'17	Convulsions	5'20	F:40	6.65
Diphtheria	0.23	1.63	3.89	Brain Disease	2.03	5.40	0.08
Croup	1.46	1.46	2,10	Aneurism	0	0.54	1
Whooping-cough	0.13	0.36	1.00	Heart Disease, &c.	0.35		0.52
Typhoid and Infantile Fever	3'39	2.30	2.38	Bronchitis	5.34	5.46	5.55
Erysipelas	0.56	0.54	0.47	Pleurisy	0.35	5'34	4.15
Metria	0.13	0.18	0,10	Pneumonia	5.85	0.36	0.36
Dysentery	1.58	1.40	2,16	Congestion of lungs	1,10	2.49	4.13
Diarrhea	6.07	8.92	3.03	Asthma	0.12	0.06	1.00
Cholera	1.00	0.48	0.39	Lung Disease, &c	0.48	0.06	0.33
Remittent Fever	0.50	0.06	0.44	Gastritis			0.57
Rheumatism	0.40	0.36	0.43	Enteritis	1.32	1.40	0.65
Syphilis	0'35	0.54	0.19	Peritonitis	2.47	4.22	
Want of Breast-milk	0.57	0.4	0'20	Hepatitis	0.40	0.01	0.46
Alcoholism	1.23	0.49	0.43	Liver Disease, &c.	0.04	0.30	0.53
Thrush	0.12	0'49	0.43	Nephria	-	1.22	1.54
	1,58	0.85	1.17	Kidney Digosco	1.76	1,51	0.2
Dropsy	2.07		1.60	Kidney Disease	0.48	1.00	0.63
	0.55	1.40		Toothing	1.85	2:30	2,13
Tumour	0.12	0.30	0.20	Teething	1.01	2.85	2.87
Scrofula	2.60		1.17	Old Age	0.32	0'24	0.95
		8.03	5.60	Old Age	3.35	3.76	8.36
Phthisis	10.42	1		Atrophy and Debility Fractures and Contusions	5.69	9.27	4.60
Hydrocephalus	0.39	0'42	0.16	Rums and Saulds	1.20	0.85	3.54
Cephalitis	2.33	3.52		Burns and Scalds	0.48	0,30	0.03
Apoplexy	2.38	1,00	1.43	Sunstroke	0.00	0-	0.68
Paralysis	1.20	0.85	1'72	Drowning	0.66	0.82	3'37
Epilepsy	0.22	0.24	0.84	Violent Deaths not classed	0.88		0.53

	Syd	lney.	Sub	urbs.	Country	Districts.
	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.
ZYMOTIC DISEASES.						
Measles	I	I			2	
Scarlatina	13	8	7	3	II	9
Diphtheria	12	10	27	20	245	146
Croup	40	31	29	25	138	128
Whooping Cough	3	2	6	6	120	112
Typhoid and Infantile Fever	77	8	38	5	150	26
Erysipelas	6	. I	4	4	30	14
Influenza	T		İ	I	30	16
Metria	3		3		12	
	29	II	28	19	136	85
Dysentery	158	129	147	130	191	159
Cholera	24	16	13	IO	25	19
	6	5	- J		28	******
Remittent Fever	16	· · · · · ·	6		27	
Rheumatism	8	6	1	1	10	
Syphilis			3	+		/
Privation	******		-	13	33	
Want of Breast-milk	13	13	13		13	13
Alcoholism	39		0	8	27	
Thrush	4	4	0	8	27	27

	Syd	lney.	Sul	burbs.	Country	Districts.
	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths unde 5 years.
Constitutional Diseases.						
Dwangy	20	5	14	2	72	3
Dropsy			23		IOI	
Cancer	47	•••••	5		32	4
	5			3	9	2
Scrofula Tabes Mesenterica	4	3	3	39	72	72
	59	59	39		352	15
Phthisis	237		147	9	25	25
Hydrocephalus	9	9	7	7	25	23
LOCAL DISEASES.						
Cephalitis	53	47	54	46	73	62
Apoplexy	54		18	I	90	
Epilepsy	13	I	9	2	53	3
Convulsions	118	114	89	89	418	418
Brain Disease, &c	46	5	23	4	62	I
Aneurism	8		4		16	
Heart Disease	121	3	90	7	349	5
Bronchitis		51	88	58	259	153
Pleurisy	93	32	6	30	23	4
Pneumonia	64	24	41	21	259	93
Congestion of Lungs			18	12	63	32
	25	15	10		21	3 <sup>2</sup>
Asthma	4	I	ī		36	I
Lung Disease	11	26		18	41	20
Gastritis	30		23		106	
Enteritis	56	39	75	55		65
Peritonitis	16	2	15	3	29	5
Hepatitis	22	I	5	I	15	I
Liver Disease, &c	45		26	2	78	3
Nephritis	4		4		17	I
Nephria	40	I	20		33	3
Kidney Disease	II	2	8		40	I
DEVELOPMENTAL DISEASES.						
Premature Birth	42	42	38	38	134	134
Teething		23	47	47	181	181
Childbirth (See Metria)	23	23	47	4/	60	
Old Age.	76		62		521	
Atrophy	129	129		153	280	289
Luiopiij	129	129	153	100	209	209

The following is a decennial table, and gives the mean number of deaths registered in Sydney in each month of the year, as also the mean temperature and height of barometer. Also mean depth of rain, and number of days in which rain had fallen, and the mean amount of ozone.

(L.)

Period.	No. of Deaths.	Mean	Mean Height	Rain	n.	Mean amount
		Temperature.	Barometer.	Depth.	Days.	of Ozone.
				inches		
January	220	71.7	29'951	3.11	14	5°3
February	168	71.1	30'002	6.52	16	5.5
March	169	69.0	30.081	5.73	16	5.5
April	161	64.5	30.114	5.34	12	5.8
May	168	58.5	30.007	8.07	16	5'9
June	155	54.5	30,111	5.30	10	5.7
July	160	52.6	30'140	4.2	12	6.1
August	160	55°1	30.008	2.88	10	6.2
September	147	58.7	30.067	3.00	13	6.4
October	155	63.4	30.039	3.66	14	6.5
November	178	66.0	29'930	3.76	13	6.0
December	211	70.4	29.922	2.72	13	5.6
Mean of 12 months	171	63.1	30.040	4.63	14	5.9

I have the honor to be,
Sir,
Your obedient Servant,
EDWD. GRANT WARD,
Registrar General.

# INDEX TO TABLES.

								DACE
							-	PAGE.
Births—							-	
Quarterly Abstract (1879)								4
" " (1870 to 1879)								7
Children out of Wedlock								8
Triplets and Twins								8
In the Colony								16
In each District								16
In each Ward of the City, in proportion	on to D	eaths,	&c.					10
In each Suburban District								11
At Sea, registered in the Colony								59
In each Ward of the City								10
Deaths—								
0 1 1 11 (1050)								4
(1070 + 1070)				•••.	•••			9
", ", (1870 to 1879) In the Colony				•••		•••	•••	16
In each District						•••	•••	16
In each Ward of the City, in proporti			&c.	•••				11
In each Suburban District								11
Infants (1870 to 1879)								10
Males, at Ages, New South Wales, wi								19
,, City of Sydney,	,,		"					28
" Suburban Districts,	"		"					37
" Country Districts,	"		,,					46
Females, " New South Wales,	,,		,,					22
" City of Sydney,	,,		,,					31
, " Suburban Districts,	,,		,,					40
" Country Districts,	,,		,,				• 0 •	49
Both Sexes " New South Wales,	,,		,,					25
" City of Sydney,	"		"					34
" " Suburban Districts,	,,		,,					43
" Country Districts,	,,		"					52
From each cause, in the City of Sydne	Э							56
Monthly Mortality								55
At Sea, registered in the Colony								59
Mortality, Temperature, &c								14
Diseases classified (1870, 1871, 1872,			875,	1876, 187	7, 187	8, and 1	.879,	10
compared)								13
In each Ward of the City							•••	10 13
Deaths from all Ages (1 to 100 years)		•••		•••		•••	•••	10
Marriages—								
Quarterly Abstract (1879)								4
" " (1870 to 1879)								4
In the Colony								16
In each District								16
Denominations (1879)								18
" (1870 to 1879)								5
Temperature, Height of Barometer, R	ain, &c.	(1870	) to 1	1879)				14

# APPENDIX.

A.

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales, during the Year ended 31st December, 1879.

		,	Births.			Deaths.	
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.
				,			
Sydney	1,417	1,889	1,825	3,714	1,256	1,010	2,266
Suburban Districts	749	2,122	2,025	4,147	846	802	1,648
					-		
Metropolitan	2,166	4,011	3,850	7,861	2,102	1,812	3,914
Country Districts	3,225	9,829	9,243	19,072	3,980	2,306	6,286
				11 7 9 113	1		
	5,391	13,840	13,093	26,933	6,082	4,118	10,200

B.

Table showing the Marriages, Births, and Deaths registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1879.

			Tot	cal.		Births.					
District.	Popula- tion, Census 1871.	Mar- riages.	Births.	Deaths.	Inclu- Illegit Birt	imate	Illegit Birt		Deat	ths.	Excess of Births over Deaths.
					М.	F.	М.	F.	М.	F.	
I.—North-eastern.											
1. Richmond River	} 4,528	5 32	160	30	82	78	1	2	19	11	130
Lismore	3 4,520	20	147	54	75	72		1	31	23	93
2. Tweed River	449	4	20	8	9	11			7	1	12
3. Grafton	} 8,965	1 77	452	121	219	233	7	11	76	45	231
Maclean	3 0,900	22	162	47	86	76	3	2	31	16	115
4. Macleay River	5	( 34	214	56	105	109	1	5	36	20	158
Bellinger	{ 4,975	3 4	33	7	14	19			3	4	26
Nambucca	)	( 1	29	10	23	6			8	2	19
5. Port Macquarie	2,131	6	84	21	47	37	1	3	15	6	63
6. Manning River	1	( 36	231	79	127	104	1	4	45	34	152
Barrington	5,171	1	20	10	12	8			6	4	10
7. Port Stephens	2,659	13	147	45	71	76	1		29	16	102
	1,950	24	97	21	54	43	î	1	10	11	76
8. Dungog	1,000	7	40	9	23	17	î	2	6	3	31
	2,561	13	76	19	41	35	1	2	10	9	57
10. Paterson	,	14	90	33	41	49	2	1	19	14	57
11. Raymond Terrace	3,015				246	216	7	16	96	90	
12. Maitland	{ 13,670	{117	462	186							276
Greta	)	(	82	21	44	38	1		10	11	61
13. Morpeth	3,289	31	137	56	66	71	7.0	1	35	21	81
14. Patrick's Plains	6,699	52	276	95	130	146	12	9	50	45	181
15. Muswellbrook	-	27	129	23	71	58	1	1	12	11	106
16. Scone	3,793	21	145	35	76	69	1	3	21	14	110
17. Murrurundi	4,143	35	227	70	113	114	3	7	42	28	157
Total	72,614	591	3,460	1,056	1,775	1,685	45	71	617	439	2,404
II Normy Myry yr				-				To la la			
II.—NORTH MIDLAND.	9 9 40	97	145	01	he	70	0	0	10	10	11
1. Tenterfield	1	27	145	31	75	70	3	3	18	13	114
2. Wellingrove	2,648	{ 33	129	45	73	56	4	2	29	16	8
Vegetable Creek	)	3	63	19	37	26	1	1	13	6	44
3. Inverell	2,366	39	234	52	119	115	5	6	35	17	183
4. Armidale	)	( 75	444	137	230	214	6	9	84	53	30'
Walcha	9,706	) 12	89	13	50	39	5		8	5	7
Uralla	0,,,00	) 5	21	6	10	11			5	1	18
Moree	)	( 3	1	1	1				1		
Total	17,069	197	1,126	304	595	531	24	21	193	111	825

### B—continued.

			Tot	al,		Births.					
District.	Popula- tion, Census 1871.	Mar- riages.	Births.	Deaths.	Inclue		Illegit Bir	imate ths.	Dea	ths.	Excess of Birth over Deaths
	20,21		Diffus.	Deaths.	м.	F.	М.	F.	M.	F.	Deaths
III.—North-western.											
1. Tamworth	6,806	{ 79 13	439	142	237	202	9	13	87	55	29
2. Nundle	2,068	( 13	163 59	45 12	86	77 26	6	3	23	22 6	118
3. Warialda	3,656	24	230	57	113	117	9	3	39	18	17
4. Cassilis	2,838 4,289	8 38	105 320	22 111	56 164	49 156	$\frac{1}{7}$	1 5	15	7	8 20
6. Coonabarabran	2,219	( 11	115	31	45	70	4	1	70 20	41	8
*Coonamble		18	98	48	48	50	3	3	35	13	5
7. Molong	3,167	32	265 189	59 69	131 85	134 104	3	3 4	39 48	20 21	20 12
Condobolin	6,709	3 9	58	25	29	29	2	1	13	12	3
9. Walgett	1,445	20	86 61	36 21	42 28	44 33	3	1	23 14	13	5 4
10. Narrabri	1,699	14	134	48	68	66	3	1	28	23	8
Total	34,896	314	2,322	726	1,165	1,157	56	40	460	266	1,59
IV.—METROPOLITAN.  1. City of Sydney	76,159	1,417	3,714	2,266	1,889	1,825	195	194	1,256	1,010	1,44
2. Balmain	6,886	88	590	189	303	287	3	5	103	86	40
3. Glebe	5,721 7,922	73 135	392 540	170 250	204 284	188 256	11 10	9 7	87 128	83 122	22 29
5. Redfern	8,092	47	595	249	287	308	9	3	130	119	34
6. Waterloo	6,306	71	472	197	240	232	13	8	94	103	27
7. Paddington	11 (11	$\binom{148}{7}$	483	181	232	$\frac{251}{12}$	6	8	92	89	30
Waverley	11,411	) 16	70	29	36	34	1	1	14	15	4
Woollahra	3,520	14 59	68 252	20 122	36 123	32 129	2	1 6	11 62	60	13
9. St. George	5,340	38	359	116	201	158	5	3	58	58	24
10. St. Leonards	5,126	{ 43 10	266 28	93 16	143 13	123 15	4	1	46	47	17
Total	136,483	2,166	7,861	3,914	4,011	3,850	260	246	2,102	1,812	3,94
V.—EAST MIDLAND.											
1. Newcastle Lambton	18,667	$\begin{cases} 176 \\ 26 \end{cases}$	825	299 104	417 152	408 148	13	16 4	190 52	109 52	52 19
Wallsend	10,001	( 36	331	68	162	169	6	3	37	31	26
2. Wollombi	1,952 625	6 3	77 24	22	43 12	34 12	2	1	10	12 6	5 1
4. Brisbane Water	2,607	6	104	33	54	50	1		11	22	7
5. Windsor	4,963 3,083	37 17	210 130	81 27	113 63	97 67	2 2	4	48 15	33	12
7. Penrith	5,321	32	201	54	111	90	5	3	28	26	14
‡8. Parramatta	11,551 2,886	81 22	396 114	302	190 58	206 56	3 3	8 4	238	64 26	2
§9. Ryde 10. Liverpool	3,493	16	104	209	52	52		2	198	11	
11. Campbelltown	1,870	12 28	52 114	31 49	34 67	18 47		$\frac{1}{2}$	20 26	11 23	2
12. Camden	4,032 2,208	7	74	26	37	37		3	17	9	4
Total	63,258	505	3,056	1,388	1,565	1,491	41	51	941	447	1,77
VI.—WEST MIDLAND.  1. Carcoar	6,411	44	318	91	179	139	11	5	62	29	2
2. Cowra	1,391	15	121	22	69	52		2	16	6	9/
3. Hartley 4. Bathurst	5,165	28 139	275 702	67 254	141 369	134	3 21	3 24	37 147	30 107	20
5. Sofala	2,821	5	80	24	44	36	4		16	8	9
6. Orange	7,586 3,354	103	475 263	163 74	243 146	232 117	7 9	7	94 54	69 20	3
8. Tambaroora	3,265	5 3	10	4	6	4			3	1	
Hill End		66	96 346	23 113	50 183	46 163	8	7	16 66	47	2
9. Mudgee	11,901	22	172	57	83	89	7	10	42	15	1
10. Rylstone	2,133	16	112	26	59	53	2	3	20	6	
Total	60,887	479	2,970	918	1,572	1,398	72	68	573	345	2,0
VII.—SOUTH-EASTERN.  1. Wollongong	5,699	51	253	90	119	134	1	4	50	40	1
2. Kiama	5,750	27	175	41	93	82	2 2	1 2	19 26	22 23	1
3. Berrima	4,529	$\left\{\begin{array}{c} 20\\3\end{array}\right.$	148 78	49 20	81 47	67 31		2	12	8	
4. Shoalhaven	4,724	41	234	70	I12	122	6	1	35	35	1
5. Ulladulla	1,652 3,739	7 25	69	34	31 78	38 71	1	1 4		14	1
6. Broulee	1,212	6	56	18	27	29		1	9	9	
8. Bega	2,651	27	201	31	106	95	5	3	14	17	1

<sup>\*</sup>This district was created a Sub. of Coonabarabran on the 27th August, 1877.

July, 1877.

† This district was created a Sub. of St. Leonards on the 1st district.

† The Government Lunatic Asylum and Hospital is situated in this district.

† The Hospital for the Insane is situated in this district.

B—continued.

				To	tal.		Births					
	District.	Popula- tion, Census 1871.	Mar- riages.	Births.	Deaths.		uding te Births.		timate	Des	aths.	Excess of Births over Deaths.
		20,21				М.	F.	М.	F.	М.	F.	
	VIII.—SOUTH MIDLAND.		,									
1.	Braidwood	11,422	31	230	49	118	112	4	4	29	20	181
2.	Cooma	4,383	42	255	57	134	121	3	2	39	18	198
3.	Bombala	2,854	25	150	46	81	69	2	2	32	14	104
4.	Goulburn	13,756	145	620	217	334	286	12	19	123	94	403
5.	Albury	9,190	94.	500	157	251	249	13	11	112	45.	343
6.	Gundagai)		( 41	176	45	94	82	3	4	35	10	131
	Adelong	4,699	3 19	125	35	68	57	4	•••	20	15	90
-	Cootamundra)		( 18	92	20	47	45	1	2	14	6	72
	Tumut	3,321	25	120	29	62	58	2		16	13	91
8.	Yass	6,600	5 41	190	64	95	95	2	6	37	27	126
	Gunning		( 13	101	25	57	44	4 3	2 5	27	9 12	76 183
	Queanbeyan	4,675	40	222	39	111	111	3	2	22		142
10.	Burrowa	3,865	{ 28	175	33	93	82 42	1	4	23	11 20	59
-11	Grenfell	,,,,,	14	102	43		128	7	5	48	28	193
11.	Young	5,924	{ 46	269	76 13	141	44	3	1	7	6	92
	Murrumburrah		( 11	105	15	01	49			-		34
	TOTAL	70,689	633	3,432	948	1,807	1,625	67	69	600	348	2,484
	777 0											
1	IX.—SOUTH-WESTERN.	0.714	51	227	70	120	107	3	4	46	24	157
	Deniliquin	2,714	5	79	22	35	44		1	12	10	57
	Moama Moulamein	557		15	11	7	8			9	2	4
	Balranald	591	14	63	31	29	34	1		19	$1\overline{2}$	32
5	Bourke	1,508	31	139	92	50	89	4	6	67	25	47
6	Hay	1	( 38	160	78	77	83	5	1	50	28	82
0.	Hillston	3,455	10	83	28	50	33		3	22	6	55
7.	Wentworth	1,200	13	54	25	30	24		3	20	5	29
	Wilcannia		( 30	66	52	39	27	3	2	39	13	14
	Menindie	1,210	7	25	21	10	15			17	4	4
9.	Wagga Wagga		( 87	348	111	164	184	4	7	74	37	237
	Narrandera	5,993	3 6	53	28	30	23	2		19	9	25
	Urana)		( 7	31	17	15_	16	1		14	3	14
	TOTAL	18,129	299	1,343	586	656	687	23	27	408	178	757
	GRAND TOTAL	503,981	5,391	26,933	10,200	13,840	13,093	605	610	6,082	4,118	16,838

The deaths in the District of Liverpool exceed the births by 105, which will reduce the excess of births over deaths to 16,733.

C.
MARRIAGES—1879.

		Sydn	ey.		Subt	ırban	Distri	cts.	Co	ountry 1	District	s.		Tota	al.	
Denominations.	Mar-		Marks.		Mar-		Mark	s.	Mar-		Marks.		Mar-		Marks.	
	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	М.	F	Tota
Church of England	672	35	38	73	218	7	3	10	1 202	100	131	231	2,182	142	172	314
Roman Catholic	221	23	24	47	119	16	10	26	1,292 642	96	102	198	982	135	136	27
Presbyterian	144	3	5	8	159	7	12	19	419	21	25	46	722	31	42	7
Wesleyan	64	2	3	5	77	2	1	3	464	11	28	39	605	15	32	4
Primitive Methodist	16	2	4	6	27		2	2	68	1	2	3	111	3	8	1
Congregational	166	16	19	35	95	1	1	2	70	3	4	7	331	20	24	4
Baptist	49	2	4	6	6				35	1	1	2	90	3	5	
Hebrew	21		1	1					1				22		1	
German Evangelical					1				12				13			
Christians	4				3								7			
Protestant Episcopal.,									2				2			
Unitarian					1								1			
Welsh Church									1	1		1	1	1		
Registrars' Offices	60		1	1	43	1	2	3	219	19	25	44	322	20	28	48
	1,417	83	99	182	749	34	31	65	3,225	253	318	571	5,391	370	448	818

D 1.

DEATHS from all causes of Males, at different ages, registered in New South Wales, from 1st January to 31st December, 1879.

		,								er, r												
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria. 10. Carbuncle 11. Influenza.	12 12  17 42 9 9	 1 26 2 24 7 3 	 2 17  29 1	 2 22  17 1 4 	 2 9 2 12 1 	 5 25 2 12 3 11 	15 12 1	1 3   	 4   23  	23 1	19	  1   8 	 1   5 	   5 1	    3 1	    4 3 	3 1 	    1 1   2	      3		 1  1 2 	 1 15 137 6 111 56 122 3 13
12. Dysentery 13. Diarrhea 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism	150 13  5	21 48 10 1 7	7 10 2 	1 3  	1 1  1 	3 2  2 1	2	1 1   1	2  1 1 3	1   2 1	2 2 1 	4 1 2  2	1 4   1	8 1 2  1	5 3   2	5 4 1 	5 9  1 1	7 2 2  2	6 4 1	4 5  1 	2	113 254 33 3 19 22
18. Pyæmia	3 293	153	73	51	29	67	36	22	35	28	25	18	12	$\frac{1}{19}$	14	$\frac{1}{19}$	22	17	18	14	6	971
ORDER 2.  1. Syphilis	7	2								1		1 2 		2			1 2 	 2 	2			12 10 
	7	2								1		3		2			3	2	2			22
Order 3. 1. Privation	23 1	1 	 1					1  	1  1	1  1 1	2  2 3	2  4 3	5  6 8	  3 5	7  3 3	3  1	5   2	  3 1	1  1 	1	4  1	33 24 4 24 33
	24	1	1					1	2	3	7	9	19	8	13	11	7	4	2	1	5	118
Order 4.  1. Thrush 2. Worms, &c. 2a. Hydatid  Total, Class I	20 20 344		74		29	67	36	23	37	 1 1 33	32	 1 1 31		29	27	30	32	23	22			20  2 22 1,133
CLASS II.—ORDER 1.																						
1. Gout 2. Dropsy 3. Cancer. 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	4	2  				 1 	 1  	 4  1 	2	1 2   1	2	4 4 2	2 9 1 	2 8 9 2 	1 7 15 1 	2 8 13 2 	6 13 2 	2 4 16 1  1	1 3 6 1 	8 4 2  1	 1 1  	8 62 93 20  1 4
	-4	2				1	1	5	2	4	2	10	12	21	25	25	21	24	12	15	2	188
Order 2.  1. Scrofula  2. Tabes Mesenterica  3. Phthisis  3a. Hemoptysis  4. Hydrocephalus  4a. Abscess	4 42 6  18 3	38 5  6	1 7 	2	1	1  2  1	 5  1	24	51 1 	46	 54 1  1	62 3	1 43 1  2	47 1  2	1  29  3	21 1 	16 1  2	7 1 2	4 1	4  1	 2 	11 89 428 9 24 23
Tradal Class II	73	49	9	2 2	1 1	4 	6	25 30	52	47 51	56	65 75	47 59	71	58	49	19	10 34	5 17	$\frac{5}{20}$	4	584 772
Total, Class II	77	51	9	2	1	0	,	00	01	01	00	10	00	11	00	10	10	Pot	11	20	4	112

### D 1—continued.

																					1 77	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III—ORDER 1.  1. Cephalitis	43 1   1 284 5	23    42 	10   1 6 	1 1 2	6   2  8	3 1   2 4 	1  2 1  5  2	2  1 1  1  1	1 3  1  3  2	1 7 2  1  4	7 4 4 1 4	5 5 5 3 5	1 8 12 8  1  8	 13 10 2  7  5	 10 9 3  1  6	9 11 3  1  2	1 12 9 2  4  8	13 9 1  2  5	8 20 2  1  5	6 15 2 1 5		93 103 109 35  38 337 67
Order 2.  1. Pericarditis 2. Aneurism 3. Heart Disease, &c	1  6 7			 1 1		1  3 -4	1  10 11	1  7 8	 1 7 	1  4 	$\frac{1}{2}$ $\frac{15}{18}$	$\frac{1}{2}$ $\frac{33}{36}$	5 29 34	 2 35 37	$\frac{1}{44}$ $\frac{41}{46}$	 2 40 42	 3 38 41	 1 41 42	 1 25 26	 2 27 29	3	8 25 365 398
Order 3.  1. Laryngitis	4 97 3 37 24  2	2 25 1 18 4 	5 11  11 3 	1 8  2  	 5  1 2 	2 11 9 2 1 25	3  4  	1 2 5 8	 2 2 9 1  	 1 3 13 2  3	1 4 1 12  4	2 13 1 1 2 19	 1 6 14 4 1 6 32	7 5 12 3 1 5 33	9 2 15 2 3 1 32	1 9  16 1 4 3	 15 1 13 6 1 5	 11 10 3 1 2	 13 1 5 4 2 3 	 14 1 7 1 3 	 2  1  3	16 251 29 226 64 17 40
Order 4.  1. Gastritis	21 77 4   2 1	10 23   1     	2 6	1 2 1 1 1 1	 1   	1 5 2 1	2 2	4 1  	1 4 2	2 2 1	44 1 1 1 2 3 3 1 2 1 7 7 22 1 7 7	3 1 1 2 2 2 12 12 12 12 12 12 12	4 3 3 1 1 4 1 2 1 6 6 28	1 3 2 1 1 1 1 1 3 1 2 13 28	1 3 1 2 1 1 1 2	1 3 1 1 1 2 4 4 9 1 24	3 4 2 1 1 1 1 1 6 2 8 30	1 3 1 2 1 1 2 2 2 2 1 2 2 5 5 21	2 3 3 1 1 2 1 2 1 3 19	1 1 1 1 1 1 1 1 3 8	2	52 155 30 10 9 11 21 4 1  23  21 26 85 1
Order 5.  1. Nephritis 2. Ischuria		 1  1 2	   1			1 1 2	 2 1 	 2 2  1	 5 1  	1  3 1  2	3  2  2 2 2	1 5 1 1 8	1 7 3 -11	 8 1 1  2	 1 3  2 1	$ \begin{array}{c} 1 \\ \\ 6 \\ 1 \\ 2 \\ 2 \end{array} $ $ \begin{array}{c} 13 \end{array} $	$ \begin{array}{c} 1 \\ 1 \\ 7 \\ 1 \\ 2 \\ 6 \\ 8 \\ \hline 26 \end{array} $	5 1 2 1 1 10 9	2   2 4 9	 1 2 1 1 1 3	 1  	17 4 55 11 9 29 44
ORDER 7.  1. Arthritis	1 		1  1				1 1 	1		1		1	1  1 2					1  1 2				6 2 3
Order 8.  1. Phelgmon	4-4											1	1 			1				2		 1 8 9
Total, Class III		-	58	20	17	51	40	34	51	61	-		-	147	132	-	-	152		103	14	2,461

# D 1—continued.

	1										1			1	1	1	1	1	1	ī	d.	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	115 3 5 13 84 220	44																				115 3 5 13 129 265
Order 3.																	46	52	101	248	1	448
ORDER 4.  1. Atrophy and Debility	272	28	5	1	1				•••								•••					307
Total, Class IV	492	72	6	1	1												46	52	101	248	1	1,020
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds {a Gunshot} b Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a.Bite of Snake or Insect 5. Drowning 6. Suffocation	2  1 3 2  1 11	3  5 1  13 1	4  10  1	4 2 4	1 1 5 	8 1 2 3 2 13	21  1  9	21 2 2  1  14	18 1 1  3 2 1 23 1	19  2 2  18 1	24 1  1 1 1  18 1	23  3  3  11 2	28 2  1 1 16	19 1 1  2 2  12 1	19  1 1 3  14 1	6  4 3 	16  1 4 1  7	8 1 1 1  5	3  1  1 1	7  1 1   1	2 2  2 1  10	255 11 12 35 35 15 2 202 22
7. Otherwise	20	23	19	10	1 12	29	31	40	50	1 43	47	45	48	38	39	17	29	17	6	 11	17	
Order 2.—			10	10	12	20				40			40						-			
VIOLENT DEATHS IN BATTLE.  1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise		***																				
										***		•••			• > •							
ORDER 3.—HOMICIDE.  1. Murder								1		1	1 2	1		2								4 7
	2							1		2	3	1		2	'							11
ORDER 4.—SUICIDE.  1. Wounds { Gunshot									1 1	1	 2 1 	4 3  2 	1  5 	2 2 1 1 2 	1 1 	 1 1 	2	1 1 		1	1 1 	9 10 6 5 11 1
O F E									2	1	3	9	6	8	2	2	2	3		2	2	42
ORDER 5.—EXECUTION. 1. Hanging										1												1
Violent Deaths (not classed)											4	3	1	3		2	3	1				17
Total, Class V	22	23	19	10	12	29	31	41	52	47	57	58	55	51	41	21	34	21	6	13	19	662
Sudden Deaths (cause unascertained)																						•••
Causes not specified or ill-defined				1	1	5	1		1		3	4	2	1	2	2		1		1	9	34
GRAND TOTALS	1577	45 3	166	85	61	157	115	128	195	192	241	279	293	299	260	242	326	283	272	400	58	6,082

D 2.

Deaths from all causes, of Females, at different ages, registered in New South Wales, from 1st January to 31st December, 1879.

3. Septidation								31st	Dec	emb	er, 1	879.											
1. Smell-pox	CAUSES OF DEATH.	Under 1 year.	to	to	to	to	5 to 10 years.	10 to 15 years.	to	100	to	20	35 to 40 years.	40 to 45 years.	to	to	55 to 60 years.	100	5	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
18. Pyæmia	1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever	13 13  12 41 3 8  9 25 141 15  4	20 22 18 4 1 22 57 4 7	4 18 23 2 6 1 3 5 1 3	4 26 1 19 4 2 4 2	 1133  9 33 2 11  1 2 1 	3 41 2 11 1 12 2 1 1 2	11 13 13 1 4 10	15	16 5 2	13 5 3 1	5 5 1 2 1	  4  1 2 3 1  2	2 1 1  8 3 1	2 1  2 2 1 		4	3 1  4 3 	   2 1  1 2 5 1 	1 1  1 1 1  5 	      1 1 7	    1  	2 16 147 4 96 73 109 18 18 3 19 80 242 29 1 16
Onder 2. 1. Syphils																							
1. Styphilis 6 2		275	155	66	62	33	82	33	19	26	25	18	16	19	9	9	8	13	13	10	12	2	903
1. Privation	<ol> <li>Syphilis</li> <li>Stricture of the Urethra</li> <li>Hydrophobia</li> </ol>						•••		•••	•••			•••	•••									
1. Thrush	<ol> <li>Privation</li></ol>	15 	"i …								 1 1		2	 1		3	1 1 4	2	  1		``i		15 3 2 15
1. Gout	1. Thrush	18		1 2										1									2 21
Order 2. 1. Scrofula	1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma	3	3  1  				1   	2		1 1	2 1 3	4 6 2 	2 5 2  1	4 13 2 	8 4 3	5 12 3 	3 10  1 	3 13 1 	5 7  	4 2 1 	4 4 1 		53 78 22  1 1
3. Phthisis       8       4       2        1       3       6       22       57       54       29       37       34       15       16       5       6       2       3       1       3       308         4. Hydrocephalus       10       6        1 <t< td=""><td>1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus</td><td>51 8  10 7</td><td>28 4  6 1</td><td>1 2</td><td>1</td><td>1 1 </td><td>3 1</td><td>6 2</td><td>22</td><td>57</td><td>54</td><td>29</td><td>1  37 1  1</td><td>34</td><td>15 1</td><td>16 3</td><td>5</td><td>6 1</td><td>2 2</td><td>3</td><td>1</td><td>3</td><td>5 81 308 1 17 22</td></t<>	1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	51 8  10 7	28 4  6 1	1 2	1	1 1 	3 1	6 2	22	57	54	29	1  37 1  1	34	15 1	16 3	5	6 1	2 2	3	1	3	5 81 308 1 17 22
Total Class II 82 43 3 1 2 6 10 22 60 62 41 50 52 22 20 20 24 16 10 10	Total, Class II													-					-		-	-	$\frac{434}{591}$

# D 2—continued.

							Т	2-	-cont	inue	a.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	2 219	17    53	8   14 1	2 2		10 1 2	3  1  3  2	 1 1  7  6	 2 1 1  2  3	1 4 3	 2 2 2  5  2	 1 1  4  7	3  3  4 	 8 2 2  2  3	 9 7 1  1 	 9 4 2   2	1 6 5 2  1  6	10 6  1  8	 4 8 1   3	 4 9 2  		87 59 47 16  37 288 64
ORDER 2.  1. Pericarditis 2. Aneurism 3. Heart Disease, &c	5	1 1	23	1		9	2 5	15	9 10	2 8	13 6	 19	14 15	 19	19	9	21  1 21	25  2 19	 13	9		598 6 3 195
Order 3.  1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary 5. Asthma 6. Lung Disease, &c	. 71 38 . 18 . 1	1 21  16 3 	1 14  6 3 	1 8  7 2 	1 2  3 	9 7 2 1 2 	7 5 3 4 2 1 2	6 2 1	10 3  7 1 	10  4  8 1  1	6 2 1	3 1 1 1	15  3 1 4 2 	3  4  1	5 4	9 7 4 1 3	6 1 3	21 3 9 2 1 	11 3	9  12  3 1 1 	1  1  1 2	6 189 8 138 42 9 8
Order 4.  1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	39  4  1 4 3	10 8 2	3 3 1	18	6	14	2 2 1 1 1 1	1 2 2 2 1	11  6 4  1  1  1  1	14 1 3 6  1 1 2	10 1 2 4 2 1 1 1 3	6 3 2 1 3 	10  1 2  1   6  7	8 1 2 1 1 2 1 13	1 1 3 1 2 1   1  8	3 1 4 3 6	11 1 1 1 1	15 1 2 1 2 3 1	14 1 2 1 1 1	17 2  1  1 1   3 1 3		42 82 30 5 7 5 20 2  7  21 15 64 1
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.	1 	20 2 2	7    1			1 1	8	8  2   2	1 1 2	 8   8	1 2 2 2 5	6  6  6	18 7 1 1	1 2 3	20 2 3	17 1 3 1 1 3 9	11  1 1  2	13 1  2 1  1 5	9	12  1   1 2		301 
ORDER 6.  1. Ovarian Dropsy 2. Uterus Disease, &c										 1		1 1 2	2 2	1 1 2	3 1 4							5 6 11
ORDER 7.  1. Arthritis	 1 		 1 1					1						1	1		 1					1 1 4
Order 8.  1. Phelgmon  2. Ulcer  3. Skin Disease, &c.	3							 1 1				2		 1 1			 1 1	1		1 		 2 9 11
Total Class III	476	136	56	24	8	42	41	42	47	55	49	65	68	72	81	68	72	80	53	60	3	1,598

# D 2—continued.

							ע	4-	-00111	inue	u.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	99 6 5 1 80 191	42																				99 6 5 1 122 233
ORDER 2. 1. Paramenia 2. Childbirth (see Metria)								1 2 3	9 9	11	14	19	1 14 15	3 3								2 72 74
Order 3.				•••											1		20	29	49	112		211
ORDER 4.  1. Atrophy and Debility.		28	4	1		···																264
Total, Class IV	422	70	4	1				3	9	11	14	19	15	3	1		20	29	49	112		782
CLASS V.—ORDER 1.—  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions  2. Wounds { a Gunshot. b Cuts}  3. Burns and Scalds  3a. Sunstroke  4. Poison  4a. Bite of Snake or Insect  5. Drowning  6. Suffocation  7. Otherwise	 1 3	1  6 1 1  6 1	 5 1 3  1	1  6  1	3  5 1 1 2 	4  5  2 1 4	2  1 3  5	1  1  8 	3  1 1  	1  1 1 1  1	1  2 1  1	2  1   1 	2	   1 1 3 	2  1  1 	   1	1    1	 1 1  	2  1  2 	 1   1 	 1   1 1	26  2 40 10 12 3 39 11
	12	16	10	8	14	16	11	11	6	5	6	4	2	5	5	1	2	2	5	2	3	146
ORDER 2—VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise								*						·								
ORDER 3.—HOMICIDE. Murder Manslaughter	3											1	1		 1							2 4
ORDER 4.—SUICIDE.     1. Wounds { Gunshot Cut, stab,&c 2. Poison 3. Drowning 4. Hanging 5. Otherwise												1  1  					 1 1  					6  1 2  1 
ORDER 5.—EXECUTION.		-																		***		
Violent Deaths (not classed)					•••	•••							1				2					3
Total, Class V	15	16	10	8	14	16	11	11	6	5	7	6	4	5	6	1	6	2	5	2	3	159
Sudden Deaths (cause unascertained)					• • • •																•••	
Causes not specified or ill-defined		423	141	97	57	144	95	1 99	1 149	1 163	133	158	161	3 125	4 143	1 104	1 138	142	128	197	1 12	16 4,118
	1	(		l	1	(	ı	1	1	(	1	1		1		(	1	1	'	1		-,-10

D 3.

DEATHS from all causes, of Both Sexes, at different ages, registered in New South Wales, from 1st January to 31st December, 1879.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1. Small-pox																						
2. Measles	5	1	6	6	3	8	1	1														31
3a. Diphtheria	25	46	35	48	22	66	28	4	4		2	1	1						1		1	284
<ul><li>5. Croup</li><li>6. Whooping-cough</li><li>7. Typhoid (and Infantile</li></ul>	29 83	46 25	52	36 5	21 4	23 4	4														1	129
Fever)	12 17	7	11 1	6	2	23	22	30	39	36	24	12	7	7 2	5 2	8 3	6 2	3 2	3	$\frac{1}{2}$	2	263
9. Metria									5	5	5	1	1					1	4		1	18
1. Influenza	11 54	43	10	5	1 3	1 4	2	1 2	1	1	1 2	7	9	10	6	6	9	3 9	6	5	1	193
3. Diarrhæa	291 28	105	15	5	2	3 2		1	4	3	4 2	2 2	7	3	7	5	12	7 3	9	12	2	496
5. Ague 6. Remittent Fever	9	1 14	3		1	2			1 1	1 2		2					1			1		3
7. Rheumatism	3					5	7	2	5	4	2	3	4	1	3	3	3	2	1	3		10
	568	308	139	113	62	147	69	41	61	53	43	34	31	28	23	27	35	30	28	26	8	1,874
Order 2.																		7				
1. Syphilis	13	4								2	1	1 2		2			1 2	2	2			22
3. Hydrophobia 4. Glanders																						
T. Clanders	13	4								2	1	3		2			3	2	2			3:
					-													7.				
ORDER 3. 1. Privation								1	1	1	3	2	5	1	7	3	5	1	1	1	4	36
<ol> <li>Want of Breast-milk</li> <li>Purpura and Scurvy</li> </ol>	38	1 1	1						1							2			•••	1	•••	39
4. Alcoholism: — a. Del. Tremens										2	2	4	6	3	3	1	;	3	1		1	26
b. Intemperance										2	3	5	9	5	6	11	4	- 2	1		5	156
	39	2	1					1	2	5	8	11	20	9	16	17	9	6	3	2		196
ORDER 4.	38		1																			39
1. Thrush										1		1										
2a. Hydatid	38		2							1		1	1									43
Total, Class I		314	-	113	62	147	69	42	63	61	52	49	52	39	39	44	47	38	33	28	13	2,105
20111, 021110 21 11											-											
CLASS II.—ORDER 1.																						
1. Gout	5	5				1	2	5	1	3	4	6	6	3 16	$\begin{vmatrix} 1 \\ 12 \end{vmatrix}$	3 11	9	9	7	12	1	10
3. Cancer		1				1	1	1	1 2	3	6	9 4	22 3	13 5	27	23	26 3	23	8 2	8 3	1	171
3b. Polypus																1		1				
4. Noma										1		1			1				1	1		
	8	6				2	3	6	4	10	14	20	31	37	45	40	38	36	19	24	2	34
ORDER 2.									1			1	1		1	2						10
1. Scrofula	6 93	66	8	3	1	2			1			1	1						7			17 73
3. Phthisis	14	9	2		1	5	11	46	108	100	83	99	77	62	45	26	22 1	9	1	5	5	1
4. Hydrocephalus 4a. Abscess	28 10	12	1		1	2	3	1		3	1	4	2	3	6		3	4		1		4
	151	88	12	3	3	9	14	47	110	104	85	105	81	66	52	29	26	14	8	6	5	1,01
	151	1																				

D 3—continued.

							D	0	00700	muci								,	1	1		1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER I.																						
1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	88 1   3 503 8	40    95 1	18  1 20 1	3	6 2	13 1  3 4 2	4  3 1  8  4	2 1 2 1  8  7	1 5 1 2  5  5	2 7 2  5  7	 9 6 6  6  6	 6 6 5  7  12	1 11 12 11  5  12 	 21 12 4  9  8	19 16 4  2  10	18 15 5  1  4	2 18 14 4  5  14	23 15 1  3  13	12 28 3  1  8	10 24 4  1  9		180 162 156 51  75 625 131
	603	136	40	6	8	23	20	21	19	23												
Order 2. 1. Pericarditis 2. Aneurism	1 11	1 1		2	 1 1	1  12 	3  15 18	2  12 14	 1 17 18	3  12 15	$   \begin{array}{c}     1 \\     2 \\     21 \\     \hline     24   \end{array} $	$ \begin{array}{c} 1 \\ 2 \\ 52 \\ \hline 55 \end{array} $	5 44 49	 2 54 56	$\frac{1}{4}$ $\frac{60}{65}$	2 49 51	 4 59 63	3 60 63	 1 38 39	36 38	4	$ \begin{array}{c c} 14 \\ 28 \\ 560 \\ \hline 602 \end{array} $
	12	2		2		15	10	14														
Order 3.  1. Laryngitis	4 168 3 75	3 46 1 34	6 25  17	2 16  9	1 7  4	4 18 2 10	8 3 8	 1 2 11 2	 5 2 16	 5 3 21	1 5 1 18	5 1 14 1	 4 7 18	 10 5 16	 14 2 19	1 16  20	 21 2 16	 14 1 19 5	 24 1 8	26 1 10 2	 2  1	22 440 37 364 106
Lungs—Pulmonary 5. Asthma 6. Lung Disease, &c	$\begin{array}{c} 42 \\ 1 \\ 2 \end{array}$	7	6	2		1	1 2	1		4	5	1 3	1 6	1 6	3	7 3	3 5	2 2	2 3	4	4	26 48
o. Dung Disease, de	295	91	54	29	14	39	24	17	25	36	32	25	42	41	41	49	53	43	42	43	8	1,043
Order 4.  1. Gastritis	38 116 4  6 1  4  3 19 5 1	20 31 2	5 9 1 1	1 2 2 1 1	 1 1      	2 8 2  1  1  1  1 	2 4 3 1 2 2 1 1 2 1 14	1 6 3 2 1	1 10 6 1 1 1 1 1 2 4 28	1 5 8 1 2 1 7 25	1 6 5 3 2 4 2 3 1 10 37	6 3 2 2 3 2 2 3 1 1 18 40	4 4 5 1 2  5 1  2  8 1 13 	2 5 3 2 1 1  3  3 26 	2 4 4 3 3 2 3 1 1 15	4 4 1 1 1 2  4  5 3 15 1	4 5 3 1 1 4 1 6 2 13 41	1 4 1 3 1 4 4  3  1 4 8 	2 4 3 1 1 1 1 4  2  3 1 6 	1 3 2 1 1 1 4 1 6 20	2    1 1 4	94 237 60 15 16 16 41 6 1  30  42 41 149 2
0	197	94	10	-		19	14	14	40	20			40	43							-	100
ORDER 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.	1  1  	3				2   1 	2 1 	 4 2  1	1  5 1  1	1 11 1  2	4  4  2 4	1 11 	2  14  1 3	1  10 1 1  2	1 5  2 4	2  9 2 1 3 5	1 8 2 2 6 10	6 1 2 1 10 10	2  2 4 10	 2 2 1 1 1 4	 1 	25 5 93 14 9 31 59
	2	4	2			3	3	7	8	15	14	14	20	15	13	22	30	34	18	11	1	236
Order 6.  1. Ovarian Dropsy 2. Uterus Disease, &c		/								1		$\frac{1}{1}$	2 2	1 1 2	$\begin{array}{c} 3 \\ 1 \\ \hline 4 \end{array}$							5 6 11
Order 7.  1. Arthritis	2		1 1				1 1	1 1		1	••••	1	1 1		1		 1	1 1				7 3 7
ORDER 8. 1. Phelgmon	2		2				2						2  1		1	2		1		1 2		3
3 Skin Dianas Co																1						17
3. Skin Disease, &c	7							1				3	1	1		2	1	1		3		20

### D 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 15 years.	10 to 10 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	214 9 10 14 164																					214 9 10 14 251
ORDER 2.	411	86	1																			498
1. Paramenia								1 2	9.	11	14	 19	1 14	3								2 72
ORDER 3.								3	9	11	14	19	15	3								74
1. Old Age															1		66	81	150	360	1	659
ORDER 4.																						
1. Atrophy and Debility	503	56	9	2	1																	571
Total, Class IV	914	142	10	2	1			3	9	11	14	19	15	3	1		66	81	150	360	1	1,802
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions 2. Wounds { a Gunshot	2 6 2	4  11 2 1  19 2	4  15 1 4  4 1	5  6 2  5 	3 1 1 10 1 1 1 6  2	12 1 2 8 2 2 1 17 	23  1 4  14 	22 2 2 1 1 1  22 	21 1 1 4 2 1 23 1	20  3 3 1  19 1	25 1  1 3 2  19 1	25  3 1 3 3  12 2	30 2   1 1 16 	19 1 1  2 3 1 15 1	21  1 2 3 1  15 1	6 4 3 5	17  1 4 1  8 	8 1 2 1 1  5 1	5  1 1  3 1	7 2 1 1 2 1 2	2 2  3 1  11 1 	281 11 14 75 45 27 5 241 33 5
	32	39	29	18	26	45	42	51	56	48	53	49	50	43	44	18	31	19	11	13	20	737
ORDER 2. VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds Otherwise		 																				
ORDER 3.—HOMICIDE.																			3 3 3			
Murder	2 3							1		1 1	1 2	1 1	1	2								6 11
ORDER 4.—SUICIDE.	5							1		2	3	2	1	2	1							17
1. Wounds { Gunshot Cut,Stab,&c 2. Poison									1 1	 1 	2 1 1	4 3 1 2	1  5 	2 2 1 1 2 	1 1 2	 1 1 	3 1 	1 1 3		1   1 	1  1 	9 11 8 5 12 1
									2	1	4	10	6	8	2		4					40
ORDER 5.—EXECUTION.										1												1
1. Hanging											4	3	2	3		2	5	1				20
Total, Class V	37	39	29	18	26	45	42	52	58	52	64	64	59	56	47	22	40	23	11	15	22	821
Sudden Deaths (cause unascertained)																						
Causes not specified or ill- defined				2	1	5	1	1	2	1	5	4	2	4	6	3	1	1		1	10	50
GRAND TOTALS	2886	876	307	182	118	301	210	227	344	355	374	437	454	424	403	346	464	425	40.0	597	70	10,200

E 1.

Deaths from all causes, of Males, at different ages, registered in Sydney, from 1st January to 31st December, 1879.

Class I.—Orders 1.  1. Small-post  2. Measles  3. Servitins  3. Servitins  1. Small-post  3. Servitins  3. Servitins  3. Servitins  4. S. Servitins  1. Small-post  4. S. Servitins  1. Small-post  4. S. Servitins  1. Small-post  5. Servitins  6. Servitins																,		,			,	1 =	1
1. Small-post	CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	to	100	5		10 to 15 years.	15 to 20 years.	20 to 25 years.	to	30 to 35 years.		40 to 45 years.	1 3	to	55 to 60 years.		65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
1. Small-post																							1-
3. Scriptions 1	1. Small-pox																						
4. Quinsy     5. Croup,     1.     1.	3. Scarlatina	1		1	1		3		1														7 7
6. Whoohing cough   1	4. Quinsy																						23
Fevry	6. Whooping-cough																				1		1
9, Metria   10. Carbuscic   11. Industria   12.   13.   14.   15	Fever)																						48
11. Influenza	9. Metria																						
12. Dysentery	10. Carbuncle																						1
13. Ague   14.   4.   4.         1.     1.       1.       1.     1.     1.       1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.       1.     1.     1.     1.     1.     1.     1.     1.     1.     1.     1.       1.       1.       1.     1.       1.       1.       1.       1.           1.	12. Dysentery	1	2				-					1	1				1						13
15. Ague	13. Diarrhœa																						79 10
17. Rheumatism	15. Ague																		1				1
18. Pyemia	16. Remittent Fever																			-			9
ORDER 2.   1. Styphilis	18. Pyæmia																						2
1. Syphilis		73	26	12	6	2	12	5	5	8	9	9	4	5	8	5	5	5	2	4	1		206
2. Stricture of the Urethra 3. Hydrophobia																							
3. Hydrophobia	1. Syphilis																						5
Order 3. 1. Privation 2. Want of Breast Milk. 8 3. Purpura and Scurry. 4. Alcoholism	3. Hydrophobia		1																				
Order 3. 1. Privation 2. Want of Breast Milk. 3. Purpura and Scurvy. 4. Alcoholism a. Del. Tremens.  8	4. Glanders			• • • •						•••	•••									•••			
1. Privation   2. Want of Breast Milk   8   3. Purpura and Scurvy   4. Alcoholism :=		4	1										1		2			1	1				10
2. Want of Breast Milk. 8	ORDER 3.																						
3. Purpura and Scurvy. 4. Alcholism:— a. Del Tremens. b. Intemperance  8	1. Privation																						8
a. Del Tremens.	3. Purpura and Scurvy																						
b. Intemperance              3       2       4        1       2 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>1</td><td>3</td><td>4</td><td>2</td><td>2</td><td></td><td></td><td>1</td><td>1</td><td></td><td></td><td>15</td></td<>											1	1	3	4	2	2			1	1			15
ORDER 4.  1. Thrush	b. Intemperance																						12
1. Thrush 3		8									1	1	6	6	6	2	1	2	1	1			35
2. Worms, &c.   2a. Hydatid											-	7											
CLASS II.—ORDER 1.   1.   1.     2.																							3
Total, Class I	2a. Hydatid																						2
Total, Class I 88 27 12 6 2 12 5 5 8 11 10 12 11 16 7 6 8 4 5 1  CLASS II.—Order 1. 1. Gout		3									1		1										5
CLASS II.—ORDER 1.  1. Gout	Total, Class I			-							_							-			-		
1. Gout  <	Zotal, Olass IIIII												14		10				4	9			256
1. Gout  <																							
2. Dropsy																							
3a. Tumour 3a. Tumour 3b. Polypus 4. Noma 5. Mortification  1 2	2. Dropsy				-													2				// 1	5 15
36. Polypus 4. Noma 5. Mortification  1 2	3. Cancer															5						1	20
4. Noma         5. Mortification         1       2         1	3b. Polypus			1					,														3
ORDER 2.         1. Scrofula       1 1	4. Noma												1										
ORDER 2.         1. Serofula       1			-		••••				-					•••			•••						
1. Scrofula       1        1   <		1	2		•••		1		3				2	4	6	8	5	3	6	1	1		43
2. Tabes Mesenterica       14       13       4       1	ORDER 2.	. 4																					
3. Phthisis	2. Tabes Mesenterica	The second second				-																	3
3a. Hemoptysis         4. Hydrocephalus       4       1         1       1         1 <td>3. Phthisis</td> <td>1</td> <td></td> <td></td> <td>1</td> <td></td> <td>-</td> <td></td> <td></td> <td>17</td> <td>18</td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><math display="block">\begin{array}{c} 32 \\ 133 \end{array}</math></td>	3. Phthisis	1			1		-			17	18					1							$\begin{array}{c} 32 \\ 133 \end{array}$
4a. Abscess	4. Hydrocephalus		1					1							1			1					4
	4a. Abscess			1	1 -						1						1						5 3
20   14   5   1     1   1   10   18   19   22   23   12   14   3   6   5   4   1   1		20	14	5	1		1	1	10	18			-					-		-	-		180
Total, Class II 21 16 5 1 2 1 13 18 19 22 25 16 20 11 11 8 10 2 2	Total, Class II	21	16	5	1		2	1	13	18	19	22	25	16	20	11.	11	8	10	2	-		223

### E 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
CLASS III.—ORDER 1.  1. Cephalitis	11   47 4 62	9 9 18	4 4.		1   1  	1 4 5	 1   	1     1	 1  1  2	1 4 1   1	 1  1  1	2 1   1	3 1   1 	4 2 1 1	 1 1  1  1	2 4    1	 4   	 3 2  1  2	 2 1   1	 3 1    1		28 29 16  6 6 60 16
ORDER 2. 1. Pericarditis						1	 4 4	4	2		1 4 5	$ \begin{array}{c} 1\\2\\7\\\hline 10 \end{array} $	2 3 5	6	1 1 8 10	6	 1 7 8	9	 6 6	 2 2		3 7 70 80
Order 3.  1. Laryngitis	5	7 3 2	1 4	1 1	3 1 1	1 1  1	 2	2 2 2		 2 1 	 2  2	 1 1  2	 1 3 2 1  2	 2  1 	2 1 4 1 1	1 3  2	 6  1	 2  2  1	 6  1	1  1 		5 56 6 37 16 2 10
Order 4.  1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines	35 9 20 2	12 2 4 	5 1		4	3 2		<u>4</u>		-4 			9 2 1	-4   1 1	9  1 2	7 1 1 	1  	1  2	8			132 14 34 6 6 6 1
6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines. 10 Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice	1					1			1		 2 3    		 2    1				 1    3 1			···· ··· 1 ···		3 7 1 3 8 6
15. Liver Disease, &c 16. Spleen Disease, &c  ORDER 5.	36	6	1			3	1		3	3  4	10	3  6	6	6 9	4	5	7	4	2	2		109
1. Nephritis		   1						1   	1   	2 1  1 -4	1  1 1 1	3  1 	4  1 5	3  1  1		 2 1  	 2 1 1 2 	  1 	  1 1	1   1 -2		20 3 2 6 7
ORDER 7.  1. Arthritis										1 1												1 1
ORDER 8. 1. Phlegmon 2. Ulcer 3. Skin Disease, &c.												1 1	1 1							1		 1 2 3
Total, Class III	135	37	10	2	6	12	8	11	9	20	25	30	31	32	27	28	33	27	22	14		519

# E 1—continued.

										<i>inue</i>										1	. 70	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.  1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	22 2  3 7	6															···			 		22 2  3 14
	34	6	1																			41
ORDER 3. 1. Old Age	· · · ·								••3								4	4	10	14		32
ORDER 4.  1. Atrophy and Debility	62	7	1				·															70
Total, Class IV	96	13	2			•											4	4	10	14		143
CLASS V.—ORDER 1.—  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions  2. Wounds \{ a \text{ Gunshot} \}  b \text{ Cuts}  3. Burns and Scalds  3a. Sunstroke	 1 2   2 	2	2 2			 1 1   	1    	   1 	4 1 4 9	5  1   2  	5 1   	3  1   1 1 	7   2 9	3   1  	3    1 1 	1 1 1 1 3	2  1    	2     		1     		41 3 6 1 1 2 12 4
ORDER 2.—VIOLENT																						
DEATHS IN BATTLE.  1. Gunshot Wounds  2. Sword and Bayonet Wounds  3. Otherwise																						
Order 3.—Homicide.  1. Murder  2. Manslaughter	2										1 2		····									3 2
	2										3											5
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise											 2   2	1 1   	  1 	1 1  						 1   		1 3 3  1 
ORDER 5.—EXECUTION. 1. Hanging																	Andreado y Carro					
										7					•••			•••				
Violent Deaths (not classed)											4	3	1	3	•••	2	3	1				17
Total, Class V	7	2	2			2	1	1	9	8	15	11	11	9	5	5	6	3		2		99
Sudden Deaths (cause unascertained)													•••									
Cause not specified or ill-defined	•••			1	1	2	1		1		3	1	2	1	1	2	,					16
												-										

E 2.

Deaths from all causes, of Females, at different ages, registered in Sydney, from 1st January to 31st December, 1879.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox																						
1a. Chicken-pox																						
2. Measles	1		1	2	1	1																6
3a. Diphtheria		1		1	1		1				1											5
4. Quinsy		4	2	3	3	5																17
6. Whooping-cough 7. Typhoid (and Infantile Fever)				1		4	1 1	5	5	6	2	2				2		1				2 29
8. Erysipelas						1								1					1			3
9. Metria										2	1	1										3 1
11. Influenza																			1			1
12. Dysentery   13. Diarrhœa	2 44	19	1 1			1		1	1		1	1	3	1	1 2		1	1	2	1 3		16 79
14. Cholera	5	2	1			1				2			1	1				1				14
15. Ague 16. Remittent Fever		1	3																			4
17. Rheumatism								1	1						1	2	2					7
18. Pyæmia								••••					•••									
	53	31	9	7	5	13	3	7	7	10	5	4	7	3	4	4	3	4	4	5		188
ORDER 2.																						
1. Syphilis	1									1	1											3
2. Stricture of the Urethra 3. Hydrophobia																						
4. Glanders																						
	1									1	1											3
		-		-					10/2						-		- 1		-			
ORDER 3.																						
1. Privation	5											••••										5
3. Purpura and Scurvy																1				1		2
4. Alcoholism :— a. Del. Tremens										1												1
b. Intemperance	,									1		2	1		2	2	2	1				11
	5									2		2	1		2	3	2	1		1		19
ORDER 4.					-												-					
1. Thrush	1																					1
2. Worms, &c													1									1
and any district the second se		-	-			-	-		-	-			1							_		2
The LOT T	1	0.1		7	5	13	3	7	7	13	 6	6	9	3	6	7	5	5	4	6		212
Total Class I	60	31	9	-	9	10		-	-	10												212
CLASS II.—ORDER 1.														-		1						
1. Gout	1	1									3		2	1 3		1	1	1	1	1		2 14
3. Cancer											4	3	4	3	3	1	2	4	2	1		27
3a. Tumor	•••											1							1			2
4. Noma				,											,							
5. Mortification																						
	1	1									7	4	6	7	3	2	3	5	4	2		45
ORDER 2.																						2.4
1. Scrofula	1																					1
2. Tabes Mesenterica	17	9	.3.	1	1		2	8	20	14	10	13	18	5	3	3	3	1	3			104
3. Phthisis												1				1.,,						1
4. Hydrocephalus	2 3	2																ï				4
4a. Abscess		1.1		1	1		2	8	20	14	10	14	18	5	3	3	3	2	3			141
	23	11		1	1		2	8	20	14	17	18	24	12	6	5	6	7	7	2		186
Total Class II	24	12		1	1		2	0	-0	14	17	10	21	12	0		U					100

E 2—continued.

							П	- (	Jones	nued	•										1	
AUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1.  1. Cephalitis	14     45 1	5    11	3    2 			2	1				 1 2  2  2	1 1	3	 4 1  1	 6 4    3	 5 2    1	3	 2   1  4	 2 4    3	 4 1   1		25 25 18  7 58 30
	60	16	5			2	1	2	2		7	6	5	7	13	8	7	7	9	6		163
ORDER 2. 1. Pericarditis		1  			 1 1	3		1	4	1 3		3	 5	 4 4	 5 5	 5 5	 1 2 3	7 7	4	 5 5		3 1 51 55
ORDER 3.  1. Laryngitis	15  5	1  4	1 3  1			1 2 1 				 1  3	 1  2		 1 1 	 2  2		4	 1 		 2  1	 4  2		2 37 2 27
Lungs—Pulmonary 5. Asthma 6. Lung Disease, &c	4	2				1				1		,	1 3		  2	1  5	  1	1  5	3	6		9 2 1 80
	24	7	5	1	•••	5				6	3			4								
Order 4.  1. Gastritis	9 10 	6 2	ĭ		1 	1 2 		 2 	 2 3 	 1 	1 1 		 1 1 	1 	 2 			 1 				16 22 10 
6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines. 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c	i  		•••					i i 										1 		1		1 3   
13. Hepatitis         14. Jaundice         15. Liver Disease, &c         16. Spleen Disease, &c	1 22	8			1	1		3	1  6	1 2	1  2  5	$\begin{bmatrix} 1 \\ 1 \\ 2 \\ \\ 5 \end{bmatrix}$	3 3 8	1  4  6	1  2  6	2  1  3	3	2 4	1 1 2	3  2  6		$ \begin{array}{c} 14 \\ 1 \\ 25 \\ 1 \end{array} $
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystisis 7. Kidney Disease, &c		1				1				5 	1 	 4	1  5 		1  1 	2 		 1 				3  20 
Disease, we			-													1	1					4
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c						1						1	6	1 1		3						1 3
ORDER 7.  1. Arthritis															1							1 <sub>2</sub>
ORDER 8. 1. Phlegmon																		 1				3  2 5
	1	-	-	-	-		-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2							1		•••				1				1		1		7

### E 2—continued

	1	)	)	)	1		)	1	1	)	1	,	1	1	1	1	1	1	1	1	1 =	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.  1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	20 1  5																			;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;		20 1  9
Order 2.	26	4						1														30
2. Childbirth (See Metria)								2	3	3	1				 		···					8 9
Order 3. 1. Old Age												•••			1		4	8	12	19		44
ORDER 4.  1. Atrophy and Debility  Total, Class IV	70	13	1	1				2	3	3	1				1		4	8	12	19		59 142
CLASS V.—ORDER 1.—  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions  2. Wounds { a Gunshot.		1  1   	 1     /1	 1   	1  1   1		 1  1  2	   2  2	    1		     1	. 1							   			3   5 1   3  3
ORDER 2. VIOLENT DEATHS IN BATTLE 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																			•••			
ORDER 3.—HOMICIDE, 1. Murder 2. Manslaughter	2							• · · ·					1		 1 1							1 3
Order 1.—Suicide.  1. Wounds— Gunshot Stab.  2. Poison 3. Drowning 4. Hanging. 5. Otherwise																	 1 					 1  
Order 5.—Execution. 1. Hanging																	1					
Violent Deaths (not classed)													1				2					3
Total, Class V	3	2	1	1.	3		2	2	1		1	1	2		1		3					23
Causes not specified or ill-defined				1				1		1	2			3	3	1	1					13
GRAND TOTALS	265	95	24	12	11	28	8	28	43	48	43	45	63	42	46	37	34	45	41	52		1,010

E 3.

Deaths from all causes, of Both Sexes, at different ages, registered in Sydney, from 1st January to 31st December, 1879.

DEATHS from all causes, o	or po	THE	DEXE	s, au	1	1	1	1	)	1	1	1	1			) )	)	1	1		led.	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1. Small-pox           1a. Chicken-pox																					•••	
2. Measles	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$		2	3	1	4		1														13
<ul><li>3α. Diphtheria</li><li>4. Quinsy</li></ul>	1	4	2	2	1		1				1											12
5. Croup 6. Whooping-cough	5	9	8	5	4	9	1															40
7. Typhoid (and Infantile Fever)	4		2	2		8	4	9	10	15	8	3	2	1	2	3	1	1	1	1		77
8. Erysipelas	1					1				2	1			2		1			1			3
10. Carbuncle												1							1 1			1
12. Dysentery	3 98	6 29	2 1		1	2	1	1	1		$\frac{1}{2}$	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	3 5	4	$\frac{1}{4}$	1 1	1 3	1 3	3	$\begin{vmatrix} 1 \\ 4 \end{vmatrix}$		29 158
14. Cholera	9	6	1			1			1	2	1		1	2				1				24
16. Remittent Fever 17. Rheumatism		2	3					1	3			1	1	1	2	3	$\frac{1}{2}$		1			16
18. Pyæmia	2							,														2
	126	57	21	13	7	25	8	12	15	19	14	8	12	11	9	9	8	6	8	6		394
Order 2.														,								
<ol> <li>Syphilis</li></ol>	5	1								1	1	1		2			1	ï				5
3. Hydrophobia																						
	5	1								1	1	1		2			1	1				13
0																						
ORDER 3.  1. Privation																						
<ol> <li>Want of Breast-milk</li> <li>Purpura and Scurvy</li> </ol>	13															1				1		13
4. Alcoholism: — a. Del. Tremens										2	1	3 5	4 3	2 4	2 2	3	4	1 1	1			16
b. Intemperance	13									3		8	7	6	4	4	4	$-\frac{1}{2}$		 1		54
															-							
ORDER 4.  1. Thrush	4																					4
2. Worms, &c. 2a. Hydatid										1		1	1									
	4									1		1	1									
Total, Class I	148	58	21	13	7	25	8	12	15	24	16	18	20	19	13	13	13	9	9	7		46
CLASS II.—ORDER 1.																						
1. Gout	2	3						2			3	1	3	3 4	$\frac{1}{2}$	2 1	3	1 2	2	1		2
3. Cancer 3a. Tumour						1		1			4	3 2	7	6	8	4	3	8	2 1	2		4
3b. Polypus																						
5. Mortification																						
	2	3				1		3			7	6	10	13	11	7	6	11	5	3		8
Order 2.													1						1			
1. Scrofula		22	1 4	2																		5
<ol> <li>Scrofula</li> <li>Tabes Mesenterica</li> <li>Phthisis</li> <li>Hæmoptysis</li> </ol>	31 1	22	4																	1		5
<ol> <li>Scrofula</li> <li>Tabes Mesenterica</li> <li>Phthisis</li> </ol>	31 1  6	22	4	2	1		3	17	37	32 1	32	36 1	29	18 1 	6	9	7 1	4	4	1		23
1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	31 1  6	22	4	2	1		3	17	37 1	32 1	32	36 1	29	18 1	6	9	7	4 2	4	1		5 23

# E 3—continued.

E 3—continuea.																						
CAUSES OF DEATH.	Under 1 year.	1 to 2 years,	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	25    92 5	14    20 	7    2  9		1   1  2	3    4 	1  1   	1    3	1  1  2	1 4 1   1	 1 3  3  3	 3 2    5	3 1  3  3	 8 3  2  2	7 5  1  4 17	7 6   2 15	 4 3   4 11	5 2  2  6 15	4 5   4 13	7 2   2 11		53 54 34  13 118 46
Order 2.  1. Pericarditis	2	1			1	1  3	4 4	1  4 -5	6	1  3	1 4 5	$ \begin{array}{c} 1 \\ 2 \\ 10 \\ \hline 13 \end{array} $	 2 8 10	10	$ \begin{array}{c} 1 \\ 1 \\ 13 \\ \hline 15 \end{array} $	 11 11	2 9 11	 16 16	10	7		6 8 121 135
Order 3.  1. Laryngitis	2 36  10 10  1	 8  7 4  	1 4  5  	1  2  	3   1  4	2 3 1 1 1  8	 2  2	 2 2   4	  1  	 1  5 2  2	1  4  2 7	 1 1  2	2 4 2 2 2 12	 4  3  1 8	2 1 6 1 1 	1 7 2 2 12	7  1 1  9	2  6  1 1	 8  2 1  	5 3 		7 93 8 64 25 4 11
ORDER 4.  1. Gastritis	2    1 4	8 6	2		 1      	1 4 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··		2	3 3 1 1	1 1 4 6	2 2 2 2 3 1 1 4 15	1 1 1 1 	3 2 2 4 3 14	1 1 1 1	3 2 1 1 3	1 1 1 1 2 3 8	1 3 1 4 10	1 1 2 2 1 1 2 2 8	1 2 1 4			30 56 16 6 3 4 10  1  22 7 45 1
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.		 1   1	  1			1		 1  	1	 7 1  1	 2  1 1	1  7  1 	1 9 1	 3  1  1	1 1	 4 1  1	 2 1 1 2 1	1 1	1 1	1 2		40 3 2 6 11
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c	-									9		9 1	11  1 1	$ \begin{array}{c} 5 \\ 1 \\ 1 \\ 2 \end{array} $		6						1 3 4
ORDER 7.  1. Arthritis								 1		 1					1							1 3 4
ORDER 8. 1. Phelgmon 2. Ulcer 3. Skin Disease, &c	-							 1 1				 2 	1	1				1 		1 1 2		3 7
Total, Class III	243	70	23	3	8	27	9	19	21	37	41	50	59	56	56	52	48	52	40	39		953

### E 3—continued.

E 5—continueu.													)									
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
ORDER 1. 1. Premature Birth 2. Cyanosis	42 3  3 12																					42 3  3 23
ORDER 2. 1. Paramenia		10						1 1 2	3	3	 1 1											71 1 8 9
ORDER 3. 1. Old Age												•••			1		8	12	22	33		76
ORDER 4.  1. Atrophy and Debility  Total, Class IV		20	3	1			, 		3	3	1				1		8	12	22	33		129 285
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.           1. Fractures & Contusions           2. Wounds	 1 3    2	3	2  1  	 1  	1  1   	 1 1  	1  1  1 		4 1 4 1	5 · · · · · · · · · · · · · · · · · · ·	5  1   	4 1   1	7 2	3 1	3    1 1	1   1  1	2  1   	2		1   		44  3 11 2 2  15 4
Order 2.— Violent Deaths in Battle. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise											 		9									
ORDER 3.—HOMICIDE. Murder	2 2 4										1 2 3		1 		1							4 
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c. 2. Poison 3. Drowning Hanging 5. Otherwise	••••										2	1 1		1 1			 1  			 1  		1 4 3  1
Order 5.—Execution.  1. Hanging												2		2								9
Violent Deaths (not classed) Open Verdicts (Found drowned, &c.)  Total Class V		4	3			2	3				4	3	2	3		2	5	1				20
Causes not specified or ill-defined				2	1	2	1	1	10	8	16  5	12	13	9	6	3	9	3		2		122
GRAND TOTALS	612	190	55	22	20	58	24	58			118				97	89	93	93	80	85	•••	29 2266

F 1.

DEATHS from all causes of Males, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1879.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1. Small-pox																						
1a. Chicken-pox																						
3. Scarlatina	1	7	1 2	1 3		1 5	1															3 19
4. Quinsy	2	1	2	5																		1
5. Croup 6. Whooping-cough		1			3	2																15
7. Typhoid (and Infantile Fever)	1	1				1	1		3	3	2	3				2						17
8. Erysipelas	1																					1
10. Carbuncle																						
11. Influenza	4	1 4	1									1	1			1			2	1		$\begin{array}{c c} 1 \\ 15 \end{array}$
13. Diarrhœa	42	20 2	3	2				1						1 1		1	1		1			72
15. Ague																						
17. Rheumatism							1															1
18. Pyæmia	•::						1				•••				•••		1				•••	2
	55 ——–	38	10	11	3	9	4	1	3	3	2	4	1	2		4	2		3	1		156
ORDER 2. 1. Syphilis	1	1																				2
2. Stricture of the Urethra																	1					1
3. Hydrophobia			-::																			
	1	1			•					·							1					3
ORDER 3.																						
1. Privation	6	1										1			1							$\frac{2}{7}$
3. Purpura and Scurvy 4. Alcoholism—	1																					1
a. Del. Tremens																,						
b. Intemperance				•••			•••						2	•••	1	3						6
	7	1		•••				• • • • •		•••		1	2		2	3				•••		16
ORDER 4.	4																					4
2. Worms, &c																					121	
2a. Hydatid											•••							•••				
	4					•••										•••			•••			4
Total, Class I	67	40	10	11	3	9	4	1	3	3	2	5	3	2	2	7	3		3			179
CLASS II.—ORDER 1.																						
1. Gout																1						1
2. Dropsy 3. Cancer	1							1				1	1	1 1	4	2 3	1	1 2				$\begin{bmatrix} 7 \\ 12 \end{bmatrix}$
3a. Tumour												1				1						2
3b. Polypus																		1				1
5. Mortification														•••						1		1
	1							1				2	1	2	4	7	1	4		1		24
Order 2.	2																					2
2. Tabes Mesenterica	8	5	1	1					7	11			5	13	3	4	3					15
3. Phthisis	1	3						3			6			1		4				1		68
4. Hydrocephalus	5	1													1					1		6 3
-	17	9	1					3	7	11	6	8	5	13	4	4	3			2		94
Total, Class II	18	9	1	1				4	7	11	6	10	6	15	8	11	4	4		3		118
Total, Olass II			1					l										******	-			

F 1-continued.

															)	1	1			[	ed	_
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	13 1   32 1	7   6 	3    2 	1    	2	1    	  1 				 1   1 2	 1  1  1	   1		 1 2   1	 1   	1    1 2	 3    2	 2   3	2 2 4		27 9 6  2 40 15
Order 2.  1. Pericarditis	2			 1 1			1   1		 1 		3	2	1 7 8	3	 5 5	 1 4 5	2	 8 8	 1 5 6	7 7		$ \begin{array}{r} 1 \\ 4 \\ 49 \\ \hline 54 \end{array} $
Order 3.  1. Laryngitis	20  6 4 	7  3  	1 2  2  	 2    		1 3  2  			 1  	 2    2	 1   1	3	 2 1  3	 4 1 3 2 1 	3		 1 2  3	 1  1  	 2  1   3	 1  1  	   1	2 47 3 26 11 1 
Order 4.  1. Gastritis	7 22 2	5 10        	 1    			1 1       	1 2	1    	1 1 1 1 1 3	1 			1 1 1	1 1 1 1 1 1 2		1	  1    2 2		1 1 1     1 			14 40 8 1 1 3 3    5 3 11 
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.							 1   1	 1   	 1   	   1	1  1  1 3	 1   	 1  	 1   	 1  	 1  	 2   1 3	1 1   2 4	  2 	  1 1 		2 1 11  1 3 5
ORDER 7.  1. Arthritis	1																					
ORDER 8.  1. Phelgmon		_				•••																
Total, Class III	115	38	13	4	2	9	6	2	6	4	10	12	16	24	15	11	15	19	20	15	1	357

CAUSES OF DEATH.	Under 1 year.	o 2 years.	3 years.	to 4 years.	5 years.	5 to 10 years.	to 15 years.	to 20 years.	to 25 years.	to 30 years.	to 35 years.	35 to 40 years.	10 to 45 years.	to 50 years.	to 55 years.	to 60 years.	to 65 years.	to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
	Un	1 to	2 to	3 5	4 to	5 to	10 t	15 t	20 t	25 1	30 1	35	40 t	45	20	55	09	65	102	75 u	Ag	Tol
CLASS IV.—ORDER 1. 2. Cyanosis	23																					2
3. Spina Bifida 4. Other Malformations	3																					
6. Teething	14	5																				]
	41	5																.,.				4
ORDER 3.																	3	1	8	19	•••	
Order 4.																						
. Atrophy and Debility	63	13																				7
Total, Class IV	104	18															3	1	8	19		18
Class V.—Order 1.—																						
CCIDENT OR NEGLIGENCE.			,	0				0	-		7				4		1		1			
. Fractures & Contusions Wounds & Gunshot			1	2				2	1		1				4		1					
b Cuts															1							
Burns and Scalds		2	1			1																
Poison																						
a.Bite of Snake or Insect			1	1	1	1				1	1	1	1			2	1					
3. Suffocation	2								1													
7. Otherwise														•••								
	2	2	3	3	1	2		2	2	1	2	1	1		5	2	2		1			(
Order 2.— Violent Deaths in																						
BATTLE.  1. Gunshot Wounds																						
2. Sword and Bayonet Wounds																						
3. Otherwise																			•••			
ORDER 3.—HOMICIDE.																						
1. Murder	•••																					
· mansiauguror	-	-		-		-	-	-														-
ORDER 4.—SUICIDE.												1										
1. Wounds { Gunshot Cut, Stab, &c.																						
2. Poison																			•			
4. Hanging													3									
5. Otherwise											-	1	3	-								
O										****									-			-
Order 5.—Execution.  1. Hanging													•••									
Violent Deaths (not classed)																						
Total, Class V	2	2	3	3	1	2		2	2	1	2	2	4		5	2	2		1			
Endler Detle																						
Sudden Deaths (cause unascertained)																						
Causes not specified or ill- defined						1															2	
				19	6	21	10	9	18	19	20	29	29	41	30	31	27	24	32	38	3	- 8
GRAND TOTALS	306	107	27	19	0	41	10	0	10	10	-	20	1 -0	1	100	-		-	-			

F 2.

Deaths from all causes, of Females, at different ages, registered in the Suburban Districts, from 1st January to 31st December, 1879.

							31st	Dece	embe	er, 18	879.											1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.  1. Small-pox 1. Chicken-pox 2. Measles 3. Scarlatina 3. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera	 1  1 3  2   3 43	 3  4 1 1    7 18	 1 1  3  1 	2 4	1  1  1 	2 1 2 3 		3  									        2				    1	4 8 14 5 21 3 3 1 13 75 5
15. Ague		34	7	7		10	1  3		···· ···· 5	1 5	 1 3	1   1	 2  4	  2		   1	  4	  4		 2  5		1 5 1 160
ORDER 2.  1. Syphilis	1 	1																				2
Order 3.  1. Privation	6															  1		1  	1			1 6  2
ORDER 4.  1. Thrush	4 4 67		··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	··· ··· 7																		4  4 175
CLASS II.—ORDER 1. 1. Gout		1  					1  	1	 1  	1		1 1	 1 	2 2	 2  	 1  1 	 2  	 1  		1 2 		 7 11 3  1
Order 2.  1. Scrofula	1 14 3  1 1	10 2   12				 2  	1  2  1	7   7	1  15   15	 11   11	9	7  	7  7	3	2  7  7	 1   1	2  1  1 2			3	 2  	1 24 79  1 3
Total, Class II	20	13				2	4	8	16	12	9	9	8	7	9	3	4	1		3	2	130

# F 2—continued.

								2		naca	•	_			4							
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 t 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1. 1. Cephalitis	13	5	2			5	1		1 1 1 1				1 	1 1 	"i "i …		1 2 	2 1 	 1 2 	 3 		27 9 8 1
6. Epilepsy	2 34 1	13 1	2 1			1		2	1	1 				1	1			1		 2		7 49 8
	50_	19	5			6	1	2	4	1			1	3	2		3	4	3	5	•••	109
ORDER 2.  1. Pericarditis	3			 1 1		 1 1		 1 1	 2 	3	2 	4	2 2	 5 —————————————————————————————————	4	 2 	 5 —————————————————————————————————	 3 —	 1 1	 1 1	 1 1	 41 41
				1						3		4										
Order 3.  1. Laryngitis	 11  5 6	10  5	4	1 1 	1 1	1	 1 2 1					1 1 			3  1	2  1		 1 1	4	3		2 41 3 15 7
6. Lung Disease, &c														1								1
	22	15	4	2	2	1	4					2		1	4	3		2	4	3		69
Order 4.  1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	3 18  1  1  1  1  23	2 3	1 1 1			1	1 1 	1      	1 1 1	2 2 2      	2 1 1 1	3	1 1 1 1 3		1 1 1 2 6	1	1		1	1		9 35 7 3 2 1 5 3 3 15 83
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c								1   	1   1 2	2		 1   	2 1 3	 1    1	 1   1 2	  1 		1    	   1	1    1		2 1 9  2 3 17
ORDER 6.			1									-										
1. Ovarian Dropsy 2. Uterus Disease, &c													1 1		1		•••					2 2
ORDER 7.  1. Arthritis	1 																					<sub>1</sub>
ORDER 8.  1. Phelgmon																	 1 1					 1 1
																10						
Total Class III	99	39	12	3	2	9	8	5	11	10	7	13	10	15	19	12	11	14	11	12	1	323

# F 2—continued.

		1			1	)	1						1			1	1	1	1	1	j ģ	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth	15																					15
2. Cyanosis	1																					. 1
<ul><li>3. Spina Bifida</li><li>4. Other Malformations</li></ul>	3																					
5. Teething	13	15																				28
	32	15																				47
Order 2. 1. Paramenia																						
2. Childbirth (see Metria)		,								1		3										4
										1		3										4
ORDER 3.																					-	
1. Old Age																	5	2	3	21		31
ORDER 4.																						
1. Atrophy and Debility.	68	9																				77
Total, Class IV	100	24								1		3					5	2	3	21		159
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions									1													1
2. Wounds $\begin{cases} a \text{ Gunshot} \\ b \text{ Cuts} \end{cases}$	1													•••								1
3. Burns and Scalds			1																			1
3a. Sunstroke																						
<ol> <li>Poison</li> <li>Bite of Snake or Insect</li> </ol>					1						1				1							3
5. Drowning		1					1									1						3
6. Suffocation	1	1																			1	3
7. Otherwise																						
	2	2	1		1		1		1		1				1	1					1	12
ORDER 2-VIOLENT DEATHS																						
IN BATTLE.  1. Gunshot Wounds  2. Sword and Bayonet																						
Wounds																						
ORDER 3.—HOMICIDE.							-	-														
Murder Manslaughter										:::												
		-	-	-			-				-			_								
Order 4.—Suicide.														····								161
1 Wannda   Gunshot																						
1. Wounds (Cut, stab, &c																						171
2. Poison										**>												
4. Hanging																						
5. Otherwise																						
				-		-	-	-														
																				,,,		
0																						
ORDER 5.—EXECUTION. 1. Hanging										-	-	-			-	-	-	-	-	-		- 1
1. Hanging  Violent Deaths (not			,				-															
1. Hanging									.,,													
1. Hanging  Violent Deaths (not						1			1		1				1	1					1	
1. Hanging  Violent Deaths (not classed)	2						-	-	-		-		-	-	-	1					1	12
Violent Deaths (not classed)  Total, Class V  Sudden Deaths (cause unascertained)	2	2	1		1		1	***	1		1				1	-	-	-	-	-		
Violent Deaths (not classed)	2	2	1		1		1	***	1		1				1	1					1	12

F 3.

Deaths from all causes, of Both Sexes, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1879.

	)	1	1	)	)	1	150 -			-,	1			1			- 1		1		7	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.  1. Small-pox	  1		  2 3	1 5		3 6																 7 27
4. Quinsy 5. Croup 6. Whooping-cough 7. Typhoid (and Infantile Fever)	3 3	1 5 2 2	5	9	3 1	4	3	3	6	6		3				2						1 29 6 38
8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhæa	3   7 85	 1 11 38			1				1   1		1   1					  1 2	···· ··· ··· 2 2	1  3	  2 2		"i … … …	4 3 1 1 28 147
14. Cholera	7	2	1			1	 2 1			1 1 		 1 	 2	1			  1			2		13 1 1 6 3
	111	72	17	18	6	19	7	4	8	8	5	5	5	4		5	6	4	5	6	1	316
ORDER 2.  1. Syphilis	2	2															1 					4 1
	2	2				• • • • • • • • • • • • • • • • • • • •											1					5
Order 3.  1. Privation	12 1	 1 										1 			1			1				3 13 1  8
b. Intemperance	10							•••				1	$\frac{2}{2}$		$\frac{1}{2}$	4		1	$\frac{1}{1}$			25
ORDER 4.  1. Thrush	8																					8
	8															9	7	5	6	6	1	354
Total, Class I	134	75	17	18	6	19	7	4	8	8	5	6	7	4				-	-	-		991
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	 1    1	1					1    1	2 2	1   	 1    1		1 1 2  	2	 3 1 2  	6	1 2 4 1  1 	3	1 3  1  5		 1 2   1		1 14 23 5  2 1
ORDER 2.  1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	3 22 4  6 2	15 5  1	1 	1  		2	 2  1	10	22	22	15	 15  	12   	16	10  1 1	5	 4  1			1  1  1	2   2	3 39 147  7 6
Total, Class II	$\frac{37}{38}$	$\frac{21}{22}$	$\frac{1}{1}$	1 1		2 2	3 4	$\begin{array}{ c c c }\hline 10\\\hline 12\\\hline \end{array}$	22 23	22	15 15	19	14	22	17	14	8	5		6	2	248
Total, Class 11				1			4									-						

# F 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER I.																						,
1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	26 1   2 66 2	12     19	5    4 1	1   	2	6    1	1   1 	  2 	 1 1 1  1 	   1 	 1    1	 1  1  1	 1    1	 1 1  1  2	 2 2    2	 1  	1 3     1	 5 1    3	1 4 3	 2 3    4		54 18 14 1  9 89 23
	97	32	10	1	2	7	2	2	4	1	2	3	2	5	6	1	5	9	8	9		208
ORDER 2.  1. Pericarditis	 5 5		 	 2 2		 1 1	1   1	 1 1	 1 2 3	3	 5 5	6	 1 9 10	 8 8	9	$\frac{1}{6}$	 7 7	 ii 11	 1 6 7	 8 -8	 1 1	$\frac{1}{4}$ $\frac{4}{90}$ $\frac{1}{95}$
ORDER 3.  1. Laryngitis	31  11 10  52	 17  8  	1 6  2   11	 3  1  	1 1  	2 3  2  	 1 2 1  		 1   	 2  	 1  	 1 1 3  	 2 1 	 4 1 3 2 1 1 1	 6  1  	 2  1  	 1 2 	1  2 1 	 6  1   7	 4  1  	1   	18 11 159
ORDER 4.  1. Gastritis	10 40 2  1    1 1 2	7 13     	1 2 1 			1 2	1 2 2	 1 1      	2 1 1 1	 3 2     	2 1 1 1 1 1 1 1 1 1 1	3	2 2 2	1 1 1 1	1 1  1  1  1   3	1 1         	1 1 2 3	1 1	1 2 1 1 1	1      1 		23 75 15 4 3 4 8   3  5 6 26 
	57	20	4	•••		3	6	2	6	5	6	9	6	12	8	10	7	3	6	2		172
ORDER 5.  1. Nephritis							1   	 2    2	1  1   1 3	 2   1 3	1  1   1 3	2 2 2	 3  1 	 2   	 2   1 3	 1  1  2	 2   1	2 1 1   2	  2 1	 1  1 1 		4 2 20  1 5 8
ORDER 6.  1. Ovarian Dropsy  2. Uterus Disease, &c									•••		•••	•••	 1 1									<sub>2</sub>
ORDER 7.  1. Arthritis  1a Ostitis, Periostitis, &c.  2. Joint Disease, &c	2					•••			•••													
0 0				• • • • • • • • • • • • • • • • • • • •																		
Order 8. 1. Phelgmon 2. Ulcer 3. Skin Disease, &c	1. 1			•••			• • • • • • • • • • • • • • • • • • • •						•••				1					2

		)	-		-						1	1	1	1	1	1	1	)	1	1	1 =	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
<ol> <li>Premature Birth</li> <li>Cyanosis</li> <li>Spina Bifida</li> <li>Other Malformations</li> <li>Teething</li> </ol>	38 2 6  27																					38 2 6  47
Order 2.	73	20																				93
Paramenia     Childbirth(See Metria)												3										4
ORDER 3.	.,.									1		3					•••					4
1. Old Age	•••																8	3	11	40		62
Order 4.																						
1. Atrophy and Debility	131	22																				153
Total, Class IV	204	42								1		3					8	3	11	40		312
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1     3	 2   1	1 2  1	2 1		 1   1 		2	2     1		1   1  1	    1			4  1  1 		1    1 		1			14   2 5 3 14 6
7. Otherwise	4	4	4	3	2	2	1	2	3	1	3	1	1		6	3	2		1		1	44
ORDER 2.—VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds												•••										
ORDER 3.—HOMICIDE.				•••														•••				
1. Murder 2. Manslaughter																						
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise												1	3									1   3 
Order 5.—Execution.																		· ·				
1. Hanging											.,.											
Violent Deaths (not classed)														.,,						•••		40
Total, Class V	4	4	4	3	2	2	1	2	3	1	3	2	4		6	3	2		1		1	48
Sudden Deaths (cause un- ascertained)		<sub>.</sub>																				•••
Causes not specified or ill- defined						1			1						1						3	6
GRAND TOTALS	594	220	47	29	12	42	26	25	52	47	40	55	51	65	60	49	51	46	49	79	9	1,648

G 1.

Deaths from all causes, of Males, at different ages, registered in Country Districts, from 1st January to 31st December, 1879.

CAUSES OF DEATH.	Under 1 year.	2 years.	ars.	urs.	rs.	ars.	ears.	ars.	ars.	ars.	years.	ars.	pıq.	specified.								
	Under	1 to 2 ye	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 ye	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not sp	Total.
CLASS I.—ORDER 1.																						
1. Small-pox																						•••
2. Measles							1									070						
3. Scarlatina	$\frac{1}{10}$	$\begin{vmatrix} 1\\16 \end{vmatrix}$	13	18	2 9	1 20	14	3	4		1	1	1								1	11
4. Quinsy	10	1 18	21		2 8	- 2																7
6. Whooping-cough	42	5	1	10	1	6 3															1	
7. Typhoid (and Infantile Fever)	4	2	3	2	•••	6	8	11	15	11	11	4	3	4	1	1	2	1			2	
8. Erysipelas	7						1			1					1	2	1	1	2	2		
9. Metria 0. Carbuncle																			2			
1. Influenza	2 24	$\frac{2}{15}$	5	1 1	1	$\frac{1}{2}$	1	1	1	1	1	9.		4	5	3	1 5	2 7	1 4	$\frac{1}{3}$		
13. Diarrhœa	54	18	7	1		2			2		1		2		1	2	5		2	4	2	1
14. Cholera	5	4	1									2				1		2		1		
16. Remittent Fever	5	6			1	2			1	2												
17. Rheumatism	ï					1	2	1	1	1		1		1	1	1	1	2		1		
	165	89	51	34	24	46	27	16	24	16	14	10	6	9	9	10	15	15	11	12	6	6
ORDER 2.																						
<ol> <li>Syphilis</li> <li>Stricture of the Urethra</li> </ol>	2	• • • •								1		1					1					
3. Hydrophobia												1						1	2			
4. Glanders																						
	2									1		2					1	1	2			
ORDER 3. 1. Privation								1	1	1	0	1			C	0			1	7		
2. Want of Breast-milk	9									1	2	1	5		6	3	5		1	1	4	
3. Purpura and Scurvy 4. Alcoholism:—			1						1							. 1						
a. Del. Tremens											1	1	2	1	1			2			1	
b. Intemperance					• • • • • • • • • • • • • • • • • • • •					1	3		4	1	2	3		1	•••			_
	9		1				•••	1	2	2	6	2	11	2	9	7	5	3	1	1	5	
ORDER 4. 1. Thrush	13																					
2. Worms, &c												•••								,		
2a. Hydatid																						
	13												·									
Total, Class I	189	89	52	34	24	46	27	17	26	19	20	14	17	11	18	17	21	19	14	13	11	6
													3.5									
CLASS II.—ORDER 1.																						
1. Gout																		1	1			
2. Dropsy	2						1	1		1 2		2	1	6	5	5	4	2	2	8	1	
3a. Tumour									2		2	4	5	5 2	6	7	11 2	10	6	3 2	1	
3b. Polypus												****										
5. Mortification										1					1				1			
	2						1	1	2	4	2	6	7	13	13	13	17	14	11	13	2	
ORDER 2.																						
<ol> <li>Scrofula</li> <li>Tabes Mesenterica</li> </ol>	20	20	2		1	1									1	2						1
3. Phthisis	4	2				2	4	12	27	17	26	31	27	21	23	11	9	4	3	2	2	
4. Hydrocephalus	9	4			,						1		1			1		1	1			
4a. Abscess	2		1				1				1	3	2	2	2		2	1				
	36	26	3		1	3	5	12	27	17	90	24	20	99	96	14	11	6	4	2	-	-
	- 00	-			T	0	0	14	41	11	28	34	30	23	26	TA	11	0	1	6	2	

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.  1. Cephalitis	19   1 205 	7   27 	3   1 4 	   1 	3   1  4	1 1  2  4	1  1 1  4  2	1 1 1  1 	1 2  1  2  2	 3 -1  1  3	 7 2 4   2 15	 3 5  2  3	1 5 11 8  1  6	 9 8 2  6  2	 8 6 3   4	 6 7 3  1  1	1 7 9 2  4  7	 7 7 1  1 	6 17 2 1 1	 1 14 2  1  2		38 65 87 35  30 237 36
															21					20		920
ORDER 2.  1. Pericarditis						3	6	1 3	 5 	1  4 	1 1 8	24	 2 19	2 26	3 28	1 30	2 29	1 24	14	2 18	3	4 14 246
						9		4	9	9	10	24	21	28	31	31	31	25	14	20	3	264
Order 3.  1. Laryngitis	56 3 26	2 11 1 12	4 8  5	6 1	2  1	 7  6	 3  2	1  3	 1 2 9	1 1 1 11	1 4 1 9	 2  9	 3 10	 1 4 8	 4 1 11	6  14	9 1 11	 8 1 7	 5 1 3	12 1 5	 1 	9 148 20 163
Lungs—Pulmonary  5. Asthma  6. Lung Disease, &c	14	2	1		1	2  1				1  2	2	 1	2 1 4	1  4	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	1 3 3	3 1 5	3 1 1	3 2 3	1 3	1 3	37 14 30
	102	28	18	7	4	16	5	4	12	16	17	12	20	18	20	27	30	21	17	22	5	421
Order 4.  1. Gastritis	35   1 1  4  1 10 1	3 9	2 4	1 2 1 1 1 1 1	1 1 	2 2 2  1 	1 	4	1 2 2 2	1 2 1 2 2	3  1    1  2  4	2 1 2 2 1 8 1	4 1 1 1  1 1  2  1 1 6	1 2 1 2 1 5	1 3  1 1 1 1     5	 1 1 1 2  3  1  4 1	2 4 2  1  1  1  1 5	3 1 1 1 2 2 2 5	1 1 2  1 1 2   1  1 3	1 1  1     1  2	2	24 81 16 3 7 5 11 4  20  8 17 54
	58	13	7	6	1	5	2	5	7	6	11	14	19	12	12	15	18	17	13	6	4	251
ORDER 5.  1. Nephritis		1	   1			1 1 2	 1 1  	 2  1	3 1 	1 1 2	2 1 3	 1  1 	1 2 2 5	 4 1  1	 1 2  2 1	1  3  1 2 2	1 1 3  1 4 7	4  2 1 1 9 7	2   2 1 8	 1 1  2	 1  	14 3 24 8 6 20 32 107
ORDER 7.		-	1								-							\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				
1. Arthritis			1				1 1	1				1	1 1					1		••••		6 1 2
			1				2	1	•••			1	2		•••			2	•••	•••		9
Order 8.  1. Phlegmon  2. Ulcer  3. Skin Disease, &c	9															 1				1		5
	3															1				1		5
Total, Class III	392	76	35	14	9	30	26	21	36	37	56	69	99	91	90	101	126	106	84	74	13	1,585

									1	-		,	1		1	,	1	1	1	1	pe	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	70  2 10 63							•••														70  2 10 96
	145	33	•••																•••			178
Order 3. 1. Old Age									••;				•••				39	47	83	215	1	385
ORDER 4.  1. Atrophy and Debility	147	8	4	1	1												•••		•••			161
Total, Class IV	292	41	4	1	1												39	47	83	215	1	724
CLASS V.—ORDER 1.—  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions  2. Wounds \{ a \text{ Gunshot} \}   \{ b \text{ Cuts} \}  3. Burns and Scalds  3a. Sunstroke  4. Poison  4a. Bite of Snake or Insect  5. Drowning  6. Suffocation  7. Otherwise	 1 2  1	1  3 1  13 1 	1  9  1  3 	2  2  3 	 1 5  3  1	8 1 1 1 2 12 25	20  1  9 	19 2 2  1  13  	13 1 1  2 2 1 19 	14  1 2  15 1 1	18 1  1 1 17 1  39	20 2 3 3 9 1 38	21 2 1 1 13 38	16 1 1  2 1  12 1 	12  1 3  13  29	5  4 2  1 	13  4 1  6 	6  1 1 1  5 1 	2  1  1 1 	6 1 1  1 1 1 1	2 2 2 1  10  17	201 11 8 25 34 13 2 179 15 2 490
ORDER 2.—VIOLENT		-	-												-							
DEATHS IN BATTLE.  1. Gunshot Wounds  2. Sword and Bayonet Wounds																						
ORDER 3.—HOMICIDE.  1. Murder								 1		1 1		 1	7	2								1 5
								1		2		1		2								6
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise									1 1 2	 1  1	 1  1	2 2  2  6	 1  1  2	2 1  1 2 	1 1 2	 1 1  2	2	1  1  3		  1	1  1  2	7 7 3 5 7 1
Order 5.—Execution. 1. Hanging										1								••••				1
Violent Deaths (not classed)																	2					
Total, Class V		19	14	7	11	25	30	38	41	38	40	45	40	42	31	14	26	18	5	11	19	527
Sudden Deaths (cause unascertained)																						
Causes not specified or ill-defined						2						3			1			1		1	7	15
		1						100								1						1

G 2.

Deaths from all causes, of Females, at different ages, registered in Country Districts, from 1st January to 31st December, 1879.

11	11120 2 6 90 1 1 1	2 17 2 18 2 5 1 2 3			40 2 4 1 5 1				4 3 3	30 to 35 years.		8     1   1       40 to 45 years.							75 years and upwards.	Ages not specified	1 6 134 4 4 65 66 66 59 12 1 18 51 88 10 11 15 2 555 5
1 13 11 38 3 6 9 20 54 7 4 166 4 166 4 166 166 166 166 166 166 166 166 166		2 17 18 2 5 1 2 3	2 23 1 12 3 2 4 1 48		40 2 4 1 5 1 4 57	1 1 12 1 3 7	7	8 4 1 1 1 1 1 1 1 1 1 1 1		3 3 1 1 2 10 10					2	2 1		1 2			 1 6 134 4 65 66 59 12 12 1 18 51 88 10  11 15 2 555
6 9 20 554 7 4 166 4 4	1 11 20 2 6 90 1 1 1	1	48	1 2 1 25	1 4 57	 27	9	4 1 1 1 1 4	 3   3 10	3 1 1 2 10 10	1 2 3 1 1 1 1 1 1 1	1 1 8	1 1 1 1 1 4	1 2 5		1 6	1	1 2 4	1 1 2 2	 1    1	12 12 1 1 18 51 88 10  11 15 2 555
4 4	1 1																				5
4	1																	•••			
4								34 161													
4	1									1 1			1   		  1 1						2 4 1 1 2 10
13		1 1																			14  1
187	92	52	48	25	57	27	9	14	10	11	11	8	5	6	5	6	5	4	2	1	585
3	1  1   2				1	 1    1		 1    1	2  3   5	1 2 2  	 2 1   1 4	 2 8 2  	3 1 1 5	 5 7 3   	3 8   	 2 9 1   	 4 2   	3 3	2 1 1 		32 40 17  1
 20 5  7 3	 9 2  4 1	 1 2   3		  1 	1  1  1 3	 2  1 3	7	1  22   23	 29  3 32 37	10    10	1  17  1 19 23	9	7 1 8	6 3 9	 1   1 1	 2   2 14	 1  1 2		 1   1 5	 1   1	3 30 125  12 15 185
1188	3  3  3  3  7 3 3 	13 87 92 1 3 1 3 2 3 2 4 3 1	13 2 87 92 52 1 3 1 3 2 3 2  20 9 1 5 2 2 7 4 7 4	13        2          87       92       52       48          1	13        2           87       92       52       48       25          1	13        2            87       92       52       48       25       57          1               1	13        2             87       92       52       48       25       57       27          1                1	13        2   <	13        2   <	13        2   <	13        2   <	13        2   <	13        2   <	13        2   <	13        2   <	13 2	13 2	13        2   <	13 2	13 2	13 2

G 2—continued.

							G		CONT	inue									1000	1	1 70	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1.  1. Cephalitis	18    140 1	7    29 	3    10 	2    2 		3   1  1 5	1  1  3  2	 1 1  5  4	 1  1  1 3	1   3  3	 1  2  3  	  4  3	2 3 1 2	3  2   2 7	2 3 1 1 7	4 2 2  1 9	 4 2 2  1  2	6 5   3 14	1 2 1 	 5 2   1		35 25 21 15  23 181 26
ORDER 2. 1. Pericarditis	 2 2	 1 1				5	2  5 7	4 4	4 4	1 2	4 4	 12 12	 8 8	10	10	 2 2	 14 14	 2 9 11	8	3		$ \begin{array}{c} 3 \\ 2 \\ 103 \\ \hline 108 \end{array} $
Order 3.  1. Laryngitis	 45  28 8 1 	1 10  7 1 	7 5 15	1 7 5 2 15	 1  3  	 5 1 1 1  8	 4 1 3 2 1 2 1 2	6 2 1	 3  7 1  	3  5 	 4 2  1	2 1 1 1	2 4 1 7	 1  2  	2 1 3	1  3 1 2 	 5 1 3  2 	3  4 1  8	5 2 7	 5  1 1 1 	 1  1  1	2 111 3 96 26 7 6
ORDER 4.  1. Gastritis	5 11 	2 3 2 	2 1 	1		•••	1 1 1 	1 1 	3	1 1 3	1 1 1 	2		1 1 1	 1 	2 1 	1  1 		 1	"i "i "i		17 25 13 2
6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines. 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	2    4 2						1  1  1  	1  1  1  	1 1 1 1 1 6	  1  1 1 	    1 	2     2  6	   3  7	   1  6 	1 1    4 	   2 2 1 	3     1 	2  1  2 1 	2     2 	1		3 12 2  4  7 11 24 
ORDER 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystisis 7. Kidney Disease, &c	ĭ	 1   						 1   		 1   	1  1  2	 1   		1  1  	   2	1  1 1  2	 1 1  1 3	 1  1 2				3  9 3  8
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c										 1 1		1  1			3							4 1 5
ORDER 7.  1. Arthritis														 1 1			 1 1					 2
ORDER 8. 1. Phlegmon 2. Ulcer 3. Skin Disease, &c	 1																					3
Total, Class III	269	64	31	20	4	18	32	29	24	28	26	32	30	33	33	$\frac{1}{32}$	46	41	24	23	2	841

1					,		,															A NO
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years	75 years and	upwards.	Ages not specined. Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations. 5. Teething	4 2 1																					4 2
	133	23																				156
ORDER 2. 1. Paramenia								1	6	7	13	16	1 14	3								1 60
								1	6	7	13	16	15	3								61
ORDER 3.																	11	19	34	72		136
ORDER 4.  1. Atrophy and Debility	119	6	3																			128
Total, Class IV	252	29	3		···			1	6	7	13	16	15	3			11	19	34	72		481
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds { a Gunshot.}	 2   1 6	 5 1 1  5 	 3 1 3  1	1  5  1 	2  4 1  1 2	4  5  2 1 4 	2  1 2  3 	1  1  6 	2  1 1  	1  1 1 1  1	1  2  1 	1  1   1 	2	   1 1 3 	2  1   1 		1    1 	 1 1   	2  1  2 	 1   1	1  1 	22  1 34 9 9 9 3 33 8 
	9	12	8	7	10	16	8	9	4	5	4	3	2	5	4		2	2	5	2	2	119
ORDER 2.— VIOLENT DEATHS IN BATTLE 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
ORDER 3.—HOMICIDE,			:											•••			•••			•••		
1. Murder 2. Manslaughter	1								 			1  1								 		$\begin{bmatrix} 1\\1\\2 \end{bmatrix}$
ORDER 4.—SUICIDE.  1. Wounds {Gunshot Cut,Stab,&e 2. Poison 3. Drowning												 1 					 1 					2  1 
											1	1					1		111		***	3
Order 5.—Execution. 1. Hanging																						
Violent Deaths (not classed)																						
Total, Class V	10	12	8	7	10	16	8	9	4	5	5	5	2	5	4		3	2	5	2	2	124
Sudden Deaths (cause unascertained)																						
Causes not specified or ill-defined		·			•••																	
GRAND TOTALS	756	215	97	75	40	95	71	55	72	87	70	87	76	59	67	49	80	75	70	104	6	2,306

G 3.

Deaths from all causes, of Both Sexes, at different ages, registered in the Country Districts, from 1st January to 31st December, 1879.

CAUSES OF DEATH.	Under 1 year.	to 2 years.	3 years.	years.	5 years.	years.	to 15 years.	years.	25 years.	30 years.	35 years.	40 years.	ears.	50 years.	55 years.	ears.	ears.	70 years.	75 years.	nd s.	specified	
	Un	1 to	2 to 3	3 to 4	4 to 5 y	5 to 10	10 to 15	15 to 20	20 to 25 y	25 to 30 y	30 to 35 y	35 to 40 y	40 to 45 years.	45 to 50 y	50 to 55 y	55 to 60 years.	60 to 65 years.	65 to 70 y	70 to 75 y	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1a. Chicken-pox			•••				2														•••	2
3. Scarlatina	2 23  21	$\begin{array}{c} 1\\32\\1\\32\end{array}$	2 30  39	$\begin{array}{c} 2\\41\\1\\22\end{array}$	$\begin{array}{c} 2 \\ 20 \\ 2 \\ 14 \end{array}$	$ \begin{array}{c c} 1 \\ 60 \\ 4 \\ 10 \end{array} $	$\begin{array}{c} 1 \\ 26 \\ 1 \\ \dots \end{array}$	4	4		1 	1	1 						"i "i		1	11 245 9 138
6. Whooping-cough 7. Typhoid (and Infantile Fever)	80	22	3 8	4	3 2	4 11	3 15	18	23	 15	 14	6	3	 5	3	3	4	2			1 2	120 150
9. Metria 10. Carbuncle 11. Influenza	13  11		1	  1	  1	1  1	1 	  1	 4  1	1 3 	3  1	 1  2	1 1 		2  	2	2  1	2 3	2  3 1	2 2		30 12 3 30
12. Dysentery	108 12	26 38 6 1	7 10 1	5 2 	3 1 	2 2	1	1	2	1	1 1 1	5  2	5 2 	5 1 	5 3 	$\begin{array}{c} 4 \\ 2 \\ 1 \\ \end{array}$	6 7 	8 1 2	4 4	3 5 	2	136 191 25 2
16. Remittent Fever 17. Rheumatism 18. Pyæmia	 9  1	12			1	2 5 	4	1	1 2 1	2 4	2	1 2 1	1 	 1 1	1	 1	1 	2		1 		28 27 5
6	331	179	101	82	49	103	54	25	38	26	24	21	14	13	14	13	21	20	15	14	7	1,164
Order 2.																						
1. Syphilis	6	1							•••	1		1 1					1	1	2			10 4
3. Hydrophobia	•••																					•••
	6	1								1		2					1	1	2			14
ORDER 3. 1. Privation			•••			•••		1	1	1	3	1	5	1	6	3	5		1	1	4	33
2. Want of Breast-milk 3. Purpura and Scurvy 4. Alcoholism:—	13	1	1						1						•••	1						13 4
a. Del. Tremens b. Intemperance										1	1 3	1	2 4	1	1 3	1 4		2			1	10 17
	13	1	1		•••			1	2	2	7	2	11	3	10	9	5	3	1	1	5	77
ORDER 4. 1. Thrush	96		1																			
2. Worms, &c	26		1 1		•••																	27
	26	•••	$\frac{1}{2}$		•••	•••													•••			1
Total, Class I		181	104	82	49	103	54	26	40	29	31	25	25	16	24	22	27	24	18		12	$\frac{28}{1,283}$
							-			- 0												1,200
CLASS II.—ORDER 1. 1. Gout																		,	-			
2. Dropsy	2	1			•••	1	1 1	1		3 2	1	4	3	9	10	8	6	6	5	10	1	72
3a. Tumour 3b. Polypus	3	1							$\frac{1}{2}$	3	2 4	5	13	6 3	13	15 1	20	12	6	4 3	1	101 32
4. Noma													•••									
5. Mortification	 5	2			•••	1	2	1	3	9	7	1	10	19	1	94			1		•••	4
			•••	•••	•••				-	9		10	19	18	28	24	29	20	14	17	2	211
ORDER 2. 1. Scrofula	1				1	2			1			1			1	0						
2. Tabes Mesenterica 3. Phthisis	40	29	3 2			3	6			46					1	2						9 72
3a. Hæmoptysis								19	49	46	36	48	36	28	29	12 1	11	5	3	3	3	352
4 Hydrocenhalus	16	8	• • • •		1	1	2	•••		3	1	4	2	3	5		2	2				25 32
4. Hydrocephalus	5	1	1	•••										100000	0		-					02
4. Hydrocephalus	5 71	42	6		2	6	8	19	50	49	38	53	39	31	35	15	13	8	4	3	3	495

# G 3—continued.

		1				,				nuea												
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	37   1 345 1	14    56	6   1 14 	2 3	3 1	4 1  3  1	2  2 1  7  4	1 1 2 1  6  4	1 3  1  3  3	1 3 1  4  6	 8 2 6  3  2	3 3 5  6	1 7 11 11  2  8	12 8 4  6 	10 9 4  1 	 10 9 5  1  2	1 11 11 4  5  9	 13 12 1  1  4	 7 19 3  1 	 1 19 4  1  3		73 90 108 50  53 418 62
	384	70	21	5	4	9	16	15	11	15	21	23	40	34	28	27	41	31	31	28		854
ORDER 2.  1. Pericarditis	1  4 5	1				8	2 11	1  7 	9 9	2 6	1 1 12	36	 2 27	 2 36	3 38	 1 32	2 43	3 33	22	2 21	3	7 16 349
	9	1				8	13	- 8	9	8	14	36	29	38	41	33	45	36	22	23	3	372
Order 3.  1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary. 5. Asthma	101 3 54 22 1	3 21 1 19 3	4 15  10 4	1 13  6	3  4	12 1 7 3	 7 1 5	 1  9	 4 2 16 1	 4 1 16 1	1 4 1 13	 4  10	 2 3 14 3 1	 2 4 10 1	 6 1 12 1 2	7  17 2 5	14 2 14 3 3	11 1 11 11	 10 1 5 3 2	17 1 6 2 4	 1  1	11 259 23 259 63 21
6. Lung Disease, &c	1					1	2	1		2	3	1	4	4	1	3	5	1	3		4	36
	184	47	33	22	8	24	18	13	23	24	24	16	27	21	23	34	41	29	24	30	7	672
Order 4.  1. Gastritis	3 1  4  1 14 3	5 12 2   1   	4 5	1 2 2 1 1    	1      	1     	1 2 1 1 1 1	1 5    1   1   1	1 5 2 1 1 2 13	1 2 5 2 1 3 14	1 4 1  2   1  2  1  2 	2 2  1  2  2  1  10 	4 1 1 1 1  1 1 1  2  4 1 9 	2 3 2    2  1 1 11 	1 3 1 2 2 2	2 2 1 1 1 2 3 3 2 5 1 1 23	3 4 3 1 3 1 1 1 6 1 24	3 1 1 3 2 3 4 6 23	1 1 2 1 1 1 4   1  1 5 	1 2 2 1 1 1 2 10	2 1 1 4	41 106 29 5 10 8 23 6   24  15 28 78 1
	82	20	10				-	9	19	14	10	20				20			10			
ORDER 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.	1	2				1   1 	1 1 	 1 2  1	3 1 	1  2  	3  1  1 2	 2  1 	1  2   2	1  5 1  1	1 2  2 3	2  4 1 1 2 4	1 1 4 1 1 4 8	4  2 2 1 9 8	2  2 1 8	 1 1   2	 'i  	17 3 33 11 6 20 40
	2	2	1			2	2	4	4	3	7	3	5	8	8	14	20	26	13	5	1	130
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c										 1		1			3							4 1
										1		1			3							5
ORDER 7.  1. Arthritis			1				1 1	1				1	1 1	 1			1	1 1				$\frac{6}{1}$ $\frac{1}{4}$ $\frac{1}{11}$
			1				2	1				1	2	1			1	2				
ORDER 8.  1. Phelgmon	4															2						8
	4											1				2				1	1	8
Total, Class III	661	140	66	34	13	48	58	50	60	65	82	101	129	124	123	133	172	147	108	97	15	2,426

G 3-continued.

							G	3-	-cont	tinue	d.		,								. 77	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.  1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	134 4 4 11 125																					134 4 4 11 181
ORDER 2. 1. Paramenia	278	56		•••				 1	6	7	13	16	1 14	3								334 1 60 61
ORDER 3. 1. Old Age ORDER 4.									6	7				3			50	66	117	287	1	521
1. Atrophy and Debility  Total, Class IV	-	70	7	1	1			1	6	7	13	16	15	3			50	66	117	287	1	$\frac{289}{1,205}$
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.           1. Fractures & Contusions           2. Wounds { a. Gunshot b. Cuts	2  3 2	1  8 2 1  18 1 	1  12 1 4  3 1 	3  5 2  4  14	2 1 1 9 1  1 5  1	12 1 1 6 2 2 1 16 	22  1 3  12  38	20 2 2 1 1 1 1  19  46	15 1 1 1 3 2 1 19 	15  2 3 1  16 1 1	19 1  3 1  18 1 	21  2 1 3 3  10 1 	23 2  1 1 13  40	16 1 1  2 2 1 15 1 	14  2 3  14 	5  4 2  1 	14  4 1  7  26	6  1 2 1 1  5 1 	4  1 1  3 1 	6  2 1  1 2  1 2	2 2  3 1  11  	223 11 9 59 43 22 5 212 23 2 609
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
ORDER 3.—HOMICIDE. Murder Manslaughter	1							1		1 1 2		$\frac{1}{1}$		2 2								2 6 8
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise									1 1	 1 	  1 1	2 2 1  2	 1  1	2 1  1 2	1  	 1 1	 2 1 	1  1 			 1  1 	7 7 5 5 8 1
ORDER 5.—EXECUTION.									2	1	2	7	2	6	2	2	3	3		1	2	33
1. Hanging										1					•••			•••		•••		1
Total, Class V	23	31	22	14	21	41	38	47	45	43	45	50	42	47	35	14	29	20	10	13	21	
Sudden Deaths (cause unascertained)																						
Causes not specified or ill-defined						2						3			1			1		1	7	15
GRAND TOTALS	1680	466	205	131	86	201	160	144	204	202	216	258	269	239	246	208	320	286	271	433	61	6,286

	Jan	uary.	Febr	uary.	Mar	ch.	Apı	ril.	Ma	ıy.	Ju	ne.	Ju	ly.	Aug	ust.	Septer	mber.	Octo	ber.	Nove	mber.	Dece	mber.	To	tal.	tal.	e of sths of
CAUSES OF DEATH.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand To	Percentage total Death the Year.
I.—ZYMOTIC DISEASES.  1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.)  2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.)  3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.)  4. Parasitic Diseases—(Thrush, Worms, &c.)	11	5	1 19	3	$\begin{array}{c} 2 \\ 15 \end{array}$		3 7	1	15	1	3	1	1	2 4		38 1 2 1	$\frac{1}{7}$	1 1		49 2	2 7		98 4 11 3	3		10 38	156	0·31 1·53
Total	18	10	9	9	119 19 47	14	16	20	14	15	82 16 37	8	14	_	17	9	12		16	13	18	12	19	15		157	345 1018	
Total  III.—Local Diseases.  1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity,					66				100																	-		10.70
Cephalitis)	86	64	21	12		15	69 34	13	45 38	23	35	18	32	16	69 37	20	33	16	35	43 18	35	28	27	11	398	204	1380 602	5.92
Pleurisy, &c.)  4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.)  5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.)	40 54 14	-		33	41	33	54 44 17	30 21 7	38	24		20	34	13		21	71 33 16	16		28	28	35 14 3	52	42	643 449 169	301		7·35 2·32
6. Diseases of the Organs of Generation—(Óvarian Dropsy, Uterus Disease, &c.) 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease,	2	1				2	1			1	 1		1	2 2	2		1		<sub>1</sub>			20		2	11	11 6		0·11 0·16 0·19
&c.) Total IV.—Developmental Diseases.	. 242		182	130	188	136				147		113		134	200	138	216	128	216		-		227		2461 265	1598		4.89
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People – (Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility)	47	22	22	22	43	5 13		2 10	37	6 20	43 14	9 20		6 22	44	10 21		9	31	3 16	30 28	6 14		6 20	448 307	$\begin{array}{c} 74 \\ 211 \end{array}$	74 659	0·72 6·46 5·60
Total V.—VIOLENCE.  1. Accidence or Negligence—(Fractures, Contusions, Burns, Drowning					101											X			-						1020			
Suffocation, Wounds, &c.)  2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds)  3. Homicide—(Murder and Manslaughter)  4. Suicide—(Poison, Drowning, Hanging, &c.)	r				52 1	2	42  1 3	•••	47				46  4		51  2	12 1		2		7		12 2	50 4 3	19	591  11 42	146	737  17 46	7·22  0·16 0·45
5. Execution—Hanging		1			1 58	••••		1	<sub>2</sub>	1	1				53		7		3		1 46		57	1 21		3	20	0.01
Unspecified		5 2	2 {	5 5	2 2	1	1		3	1	5	3	2		3		1	1	2	3	3	2	2	1	34	16		0.49
Totals from all causes	66	2 402	2 50	382	534	376	550	369	499	398	457	290	458	299	454	301	439	281	489	292	467	335	572	393	6082	1118	.0200	100.00

55

757-17

20

120

Table showing the Deaths which have occurred, from the causes stated, in each of the several Wards of the City of Sydney, from 1st January to 31st December, 1879, distinguishing those under Five years of age.

	Gip	ps.	Bou	rke.	Brish	ane.	Macq	uarie.	Coo	k.	Fitz	roy.	Phi	llip.	Den	ison.		To	otal De	eaths i	from e	ach Ca	use in	Sydn	iey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1070
CLASS I.—ORDER 1.																			4							
1. Small-pox							• • • •										•••								•••	
2. Measles											1				1	1	1 13	3	4	1 206	$\begin{array}{c} 162 \\ 105 \end{array}$	$\frac{62}{37}$	5	$\frac{1}{54}$	2	
3. Scarlatina			2	1	1	3			2		5	1	2		1		12	17	20	17	36	12	16	7	7	-
4. Quinsy				···					12	4			3	1	3	1	40	$\frac{1}{34}$	$\begin{array}{c} 3 \\ 17 \end{array}$	$\frac{3}{34}$	$\frac{4}{27}$	5 16	2 18	18	$\frac{1}{5}$	
6. Whooping-cough		1	***						2								3	92	15	1		21	12	14	63	
7. Typhoid (and Infantile Fever)		8		22		4	2	4	3	8		12	1	4	2	7	77	103	61	77	75	39	61	36	16	
B. Erysipelas				2					1							3	6 3	4 2	$\frac{11}{2}$	19 11	26 18	18 23	4 9	3 16	3 8	130
O. Metria (See Childbirth) O. Carbuncle		•••	•••					1		1		1		1			2	1					2	1		-
. Influenza				1											1		$\begin{array}{c} 1 \\ 29 \end{array}$	35	12	14 15	6 29	$\frac{2}{15}$	1 13	3 23	$\begin{array}{c} 3 \\ 25 \end{array}$	
2. Dysentery		3	$\frac{1}{3}$		1 10	1 1	12		2 36	3 4		1 5	5 20	$\frac{1}{2}$	27	1	158	147	157	133	208	159	108	147	101	
4. Cholera	1	1	1		3	1	1		2	1	2	1	3		3	2	$\frac{24}{1}$	18	16 1	18 2	20 6	17	13 1	12	7	
6. Ague 6. Remittent Fever	1						1		2	1	1						6			4	6	3	3	1	2	
7. Rheumatism		2		9		1						4			1		16	13 2	$\frac{12}{2}$	11 5	$\frac{14}{6}$	9 2	9 2	6 3	10	
9. Parotitis																		1		1						
	16	15	7	60	16	13	17	7	63	23	32	25	34	12	39	15	394	475	337	<b>5</b> 72	748	440	279	345	256	2
Order 2.  1. Syphilis				1	1						1	1	3		1		8	9	9	11	9	6	13	10	4	
2. Stricture of the Urethra				0		1										1	5	1	3	6			1	5	1	
				4	1	1					1	1	3		_1	_1	13	10	12	17	12	9	14	15	5	-
Order 3. Privation																				1		1	4	3	2	
2. Want of Breast-milk					1		1		1		0		7				13	24	31	38	29	22	30	31	12	
3. Purpura and Scurvy 4. Alcoholism :—	•••			1		•••		1	•••								2		4	2	2	4	1	2	2	
a. Delirium Tremens								1		1		1				2 2	16 23	8 31	$\frac{2}{37}$	7 35	17 20	7 8	6 16	4 5	1 5	
b. Intemperance 5. Rickets		The state of the				2		1		4		1	,	1			23	1								
	1	1		23	1	2	1	3	1	5	2	2	7	1		4	54	64	74	83	68	42	57	45	22	-
ORDER 4.																							~			
1. Thrush									2				1		1		4	6	$\frac{3}{1}$		7	4 3	6 2	5 1	6	
2a. Hydatid		1		130						• • • • • • • • • • • • • • • • • • • •		1		1			3	6	4							
		1							2			1	1	1	1		7	12	8	4	9	7	8	6	7	
Total, Class I	17	17	7	87	18	16	18	10	66	28	35	29	45	14	41	20	468	561	431	676	837	498	358	411	290	2
CLASS II.—ORDER 1.				9				1						2		2	7	4	4	3	3	1	9	1	-	
2. Dropsy		6	1	5			1	1		2		3	1	5		2	29	28	47	50	15	9	21	16	1 9	
3. Cancer			1 399	7		2		3		7		8 3		3		4	47 5	41	33	48 4	44	49	56 2	38	27	
3b. Polypus	.,.																									
5. Mortification										• • • • • • • • • • • • • • • • • • • •			• • • •					2 4	3	$\frac{2}{3}$		1 4	2 2	7		
		10	1	24		2	1	6		9		14	1	10			88	90	96	110	71	65	85	65	38	
ORDER 2.										- \														•	- 1	
1. Scrofula	2		-				$\frac{1}{2}$		6		0						4 59	8 61	10 41		8 57	12 48	$\frac{16}{25}$	14 38	8 36	
3. Phthisis	1	20		68		10		17		38		27		24	1	31	237	176	166	202	201				139	
3a. Hæmoptysis 4. Hydrocephalus	2		-		-		1			3	-	•••		1	3	1	5 9	3 11	6 7			17	7	10	14	
5. Abscess	1	•••		2						1			1				7	4	2				1	1	1	
	6	20	3	70	1	10	4	18	6	42	6	27	37	26	13	32	321	263	232	292	285	242	202	218	198	]
Total, Class II	6	30	4	.94	1	12	5	24	6	51	6	41	38	36	15	40	409	353	328	402	356	307	287	283	236	- 2
CLASS III.—ORDER 1.																										
1. Cephalitis							3		15					-			53	52				59	80	59	36	
3. Paralysis		-				3		1	•••	12 8		6 3					54 34	57 20		45	67	56	55	40	44	
4. Insanity	1	10000						1		0		0		1		4	Pe	40	40	37	24	23	15	20	12	

# I—continued.

	Gip	ps.	Bou	rke.	Brisb	ane.	Macqu	uarie.	Coc	ok.	Fitzi	roy.	Phil	lip.	Deni	son.		То	tal De	aths fi	rom ea	ach Car	use in	Sydne	ey.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.
CLASS III.—ORDER 1.—  continued.  5. Chorea  6. Epilepsy  7. Convulsions  8. Brain Disease, &c	11		3	17	5	1				2  4	13 1	8			2	 1 1 3	46	46	34	36	2 9 106 41	116 51	$\frac{105}{45}$	 16 127 35	93	21
Order 2. 1. Pericarditis				38		1 5	 	1		1 1 20		1 16		1 1 11		1 2 12	6 8 121 135	5 10 102		4 7	4 9 107	6 7 91 104	313  7 87 94	1 8 92	2 11 93 106	5 12 89 106
Order 3.  1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4a. Congestion of the Lungs—Pulmonary 5. Asthma 6. Lung Disease, &c	4	4  2  1	2  1 	2 1 5	7  1 	2 1 4 7	2  1 2  5	<sub>2</sub>	12  8 4 	5 1 6 3 1 	2 6  4 3 	 7  1  1	 6  1 4 	3  1	12  5  1	 3 2 4 1 1 1	7 93 8 64 25 4 11	11 94 10 71 31 5 4	6 85 8 74 22 1 10	14 82 19 3 11	6 106 15 106 13 11 11	${9 \atop 94}$	3 80 4 73 9 15	1 80 6 10	2 109 4 83 1 10	3 71 6 64 3 21 168
Order 4.  1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c 16. Spleen Disease, &c	3	3  1  2		$\begin{bmatrix} 1 \\ 4 \\ 3 \\ 2 \\ 1 \\ 2 \end{bmatrix}$	5 1   	        2		2	11 10   1 	1 1 2   1  1  2	1 4 1	1 1 5 2  1   1  2 11	3 12 1   1  	1 5 1 1 1 1	2 6      1	6 1 1 1 1  1 5 4	30 56 16 6 3 4 10  1  22 7 45 1	22 59 7 8 1 5 5 1 3  11  23	26 22 16 3 4  6 3 2  5  27 5 28	22 29 13 4 2 3 1	35 38 20 4 3 8 3 2  7  23 5 51	14 36 13 4 2 3 2 2 2  7  5 5 41 1	5 42 5 4 4 1 2 4 1  19  9 8 38	6 35 14 6 4 2 8 5  15  15 	10 36 6 1 8  3 2  14  8 1 36 1	18 27 7 9 1 1  6  2 28 
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	1	3 2 1		32  15 1 2 3 4 25		7  1   1 2	4	 3 1  2		17 1  5  1 1 8		24  5 1  7		19  3  1 4	9	20  5  5	4  40 3 2 6 11 66	3 1 39 1 1 7 18 70	11  30 3  5 10	12  44 1 1 3 11 72	10  32 4 3 8 12 69	7 2 37 2 2 3 18 71	142 4  22  2 4 10 42	141 1 10 1 1 1 3 15	126 4 1 20 3 1 3 9	118  4 2 1 2 8 
Order 6.  1. Ovarian Dropsy  2. Uterus Disease, &c		0										1		• • • • • • • • • • • • • • • • • • • •		1	1 3	1 5 -6		1 6 7	 5 5		2 3 5	1 2 3	3 2 5	1 2 3
ORDER 7.  1. Arthritis  1a. Ostitis, Periostitis, &c.  2. Joint Disease, &c				2								1			1		3	1  2	2 2	3  2 5	$\frac{2}{1}$	1	<sub>1</sub> 3 4		$\frac{1}{2}$	
ORDER 8.  1. Phlegmon				2  2 1		2							2			•••	$-\frac{4}{3}$ $-\frac{7}{10}$	1	2	1 3	2 1 2	2	<sub>1</sub>	1 5	 5 2	4
Total, Class III	29	45		191	29	31	27	33	102	92	39	86	2  55		57	70						877			732	630

# I—continued.

1	1 00		P	ml-	Dula	oane.	Maga	mario	)		Fitz	_		llip.	Deni	ison.		To	tal De	eaths f	rom e	ach Ca	use in	Sydn	ey.	
CAUSES OF DEATH.	-	ops.								-			Under.		Under.							1874.	1873.	1872.	1871.	1870.
	Under	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Unc	Over.	Un	Over.	1879.	1878.	1877.	1876.	1875.	181	18,	18.	18	18
CLASS IV.—ORDER 1.  1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	1  5	•••					2 1  1		11 1 5		 1 3	• • • •	1  1 2				$ \begin{array}{c} 42 \\ 3 \\ \dots \\ 23 \\ \hline 71 \end{array} $	57 9 3 8 30	48 6 2 6 51 ——————————————————————————————————	60 5 3 5 35 	5 41	49	$   \begin{array}{c}     37 \\     \dots \\     7 \\     32 \\     \hline     77   \end{array} $	$   \begin{array}{r}     37 \\     3 \\     1 \\     3 \\     \hline     53 \\     \hline     97   \end{array} $		4
	10				7		4	•••	17		8				12									-		
ORDER 2.  1. Paramenia										$-\frac{1}{1}$		2					1 8 9	13 13	 18 —————————————————————————————————		$\frac{1}{30}$	4	 3 —3		3	4-4-
ORDER 3.						4		3	.2,	16		12		3		9	76	78	56	69	61	51	60	50	41	52
ORDER 4.  1. Atrophy and Debility	8		4		6		12											-	-		-	142	-	-	-	119
Total, Class IV	18	8	4	22	13	7	16	4	57	17	26	14	29 —–	4	37	9	285	321	301	326	371	284	248	248	234	258
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE. 1. Fractures and Contusions 2. Wounds { \alpha. Gunshot}		··· ··· ··· ··· ··· ··· ··· ···	 2	1 4  2		2     1 2 1	i	 1 	1  1   1	 1  1 	 1		1		3 1	•••	44  3 11 2 2  15 4 3	51 2 6 16 3 3  4 11 2	40  1 6 4 1  15 8	4 22 1 12 6 1	40  6 10 1 4 1 10 7	} 4 9 3 1	32 5 19 4 1  21 4	36 3 8 2 1  13 	25 2 8   21 3	20 3 12 1 3  16 10
	1	11	2	36	1	6	1	1	3	2	1	3	4	5	4	3	84	98	75	81	79	74	86	63	59	65
ORDER 2.—VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise									···																	
ORDER 3.—HOMICIDE.						1											4	6	6	2	3	8	4	5	4	1
1. Murder									2 1						•••		5	4	1	8	2	4	2	1	5	
ORDER 4.— SUICIDE.  1. Wounds { Gunshot Cut, Stab, &c. }  2. Poison		1		1  1 						2	•••	2					1		$ \begin{array}{c} 7 \\ 4 \\ 1 \\ 3 \\ \dots \\ 2 \end{array} $	1 5	1 5	 4 2 1	6  4 1  1	6 2 3 1  2	9  3  2	2 4 2 
		1		3						2		2	•••	1			9	7	10	14	15	10	6	8	5	8
ORDER 5.—EXECUTION. 1. Hanging								•••					•••							1	1	•••	4	3		
Violent Deaths not classed (Open Verdicts, Found drowned, &c.)		3		10		3	•••			1	•	2				1	20	19	15	14	8					
Total, Class V	1	15	2	53	1	10	1	1	6	5	2	7	4	6	4	4	122	134	107	120	108	96	102	80	73	75
Causes not specified or ill-defined		115	-	6 453	62	77			237	-	108		171			-						$\frac{15}{2077}$				

J.

BIRTHS and DEATHS occurring at Sea in the Colony of New South Wales, from 1st January to 31st December, 1879.

						Births.			Deaths.	
					Males.	Females.	Total.	Males.	Females.	Total.
Sydney			 	 	36	24	60	65	29	94
Newcastle	•••	•••	 	 				2		2

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment.
1. Sydney	The Registrar General	15 Dec., 1870	46. Maitland	Cornelius Delohery, C.P.S	1 April, 1876
2. Balmain	William Parker (chemist)	4 July, 1861	Greta	Thos. Jones	1 Jan., 1878
	M. B. Young	24 May, 1877	47. Manning River	Jasper A. Creagh, C.P.S	1 Feb., 1875
4. Glebe	William Richard Cobbin	16 Nov., 1875	Barrington	James Baker, C.P.S.	1 June, 1879
	Charles Alfred Newman			Rudolph Roxburgh Morriset W. A. Steel, C.P.S.	9 Feb., 1875 1 Oct., 1878
Bandwick	Henry Gale (postmaster) Wm. Bethune, Assistant D.R.	1 July, 1863 1 Feb., 1876		L. S. Donaldson, P.M.	1 Jan., 1878
Waverley	W. Wiley, Assistant D.R.	1 Aug., 1876	50. Mclong	John H. Nisbett, C.P.S	1 Nov., 1875
	John Byrne, do.	1 Aug., 1878		John Keating	16 Sept., 1872
7. Redfern	Christopher Warburton	30 Oct., 1865	52. Moulamein	Thomas Linton	
8. Waterloo	F. H. B. Salmon	31 Mar., 1879	53. Mudgee	F. S. Isaacs, C.P.S Cornelius Coghlan, C.P.S.,	
9. St. George 10. St. Leonards	Theophilus Henry Bolger Robert Dalzell Ward, surgeon		Gulgong	Assistant D.R.	1 April, 1076
Manly	Æmelia M. Stephen, Assis-		54. Murrurundi	G. R. Evans, C.P.S	1 April, 1878
	tant D.R.			Timothy Foley, C.P.S	
	James Chas. W. Crommelin		56. Narrabri		
	Jas. Bray, C.P.S.	1 Mar., 1876		John Burrowes William F. Dent, Assistant	
	M. S. Love, C.P.S Ed. Marriott, C.P.S	1 Feb., 1878	Lamoton	D.R.	15 Aug., 1074
13. Balranald	Richard B. Mitchell, C.P.S.	7 Feb., 1867	Wallsend	Thomas Alnwick, Assistant	1 Jan., 1875
	James Beuzeville			D.R.	
15. Bega	John Davis, C.P.S.		58. Nundle	Samuel Kermode	
16. Berrima	Fredk. Robertson Wilshire,	1 May, 1872	59. Orange	William T. Evans, C.P.S George Wickham, C.P.S	20 Feb., 1856 1 Oct., 1878
Rumawang	P.M. & C.P.S. D. Moffitt, Assistant D.R	1 Oct., 1876	61. Paterson	Benjamin Newbury (surgeon)	
	James Giles, C.P.S		62. Patrick's Plains	Fredk. J. Robinson	23 June, 1875
	Louis Fredk. Layard, C.P.S.		63. Penrith	John K. Cleeve, jun., C.P.S.	2 Aug., 1869
19. Braidwood	W. F. Robertson, C.P.S	1 Sept., 1875	64. Picton	Wm. Redfern Antill	
20. Brisbane Water	Thomas Cade Battley, C.P.S.		65 Port Macquarie	Richd. Maunsell, P.M. &	1 Oct., 1873
21. Broulee	W. H. Thomas, C.P.S.		CC Dont Stanhous	C.P.S. Thomas Laman, C.P.S	2 Aug., 1869
22. Burrowa	William J. E. Wotton, C.P.S.		66. Port Stephens	Fredk. B. Russell, P.M	
Grenfell	G. G. Brodie, C.P.S., Assistant D.R.	1 oury, 1070		William Gloag	
23. Camden	John B. Martin, C.P.S.	14 Aug., 1856	69. Richmond	Rowland H. Ducker	1 Jan., 1878
			70. Richmond River	Malcolm M'Intyre Campbell,	26 April, 1875
25. Carcoar	Wm. Badcock Warner		т.	C.P.S.	1 37. 1050
26. Cassilis	J. H. Tompson, C.P.S		71. Ryde	W. Carson, C.P.S	1 Nov., 1878 30 Mar., 1857
28. Cooma	A. Newman	1 Oct., 1876 12 Sept., 1875	72. Rylstone	W. W. Armstrong, C.P.S	
29. Coonabarabran	Fredk. Wm. Edwards, C.P.S.		73. Scone	James T. Wilshire, C.P.S	1 May, 1872
Coonamble	R. R. Bailey, P.M., Assis-		74. Shoalhaven	William Lovegrove, C.P.S	
	tant D.R.		75. Sofala		1 June, 1871
30. Cowra	John Arkins, C.P.S.	14 Nov., 1870	76. Tambaroora	James Sydney Willard (post-	28 June, 1872
31. Deniliquin	William Henry Hooper		Hill End	master.) A. B. Burns, C.P.S., Assis-	1 Oct., 1878
32. Dupgog	Luke M'Guinn, C.P.S Chas. G. Smith, C.P.S	1 Aug., 1863	11111 Ellice	tant D.R.	1 0000, 1010
	R. B. Hays, C.P.S		77. Tamworth	John M'Donald, C.P.S	9 May, 1859
	Stephen Freeman, C.P.S	1 Sept., 1873	Gunnedah	T. K. Abbott, C.P.S., Assis-	16 Mar., 1878
Parkes		1 July, 1878	FO TI + 0.11	tant D.R.	1 0 1075
	Assistant D.R.	FO 1 1050	78. Tenterfield		
	Wm. Pye, Acting C.P.S Chas. Somerville Alexander,	7 Oct., 1878	79. Tweed River	Joshua Bray Henry Hilton	28 Sept., 1875 15 Jan., 1870
36. Goulburn	C.P.S.	or mai., 1002	81. Ulladulla	S. M. Burrows, C.P.S	1 Nov., 1878
37. Grafton	W. Clarke, C.P.S	1 April, 1874	82. Wagga Wagga	Edwin H. Tompson, C.P.S	2 Aug., 1869
Maclean	Samuel MacNaughton (post-		Narrandera	Jno. L. King, C.P.S.	1 Sept., 1878
	master), Assistant D.R.	1 11 1	Urana		
38. Gundagai		1 Feb., 1872	83. Walgett	Jas. Millar, Acting F. C. Macarthur, C.P.S	
Adalana	master.)	5 May 1877	Moree	C. A. Reuben, C.P.S.	
	John James, Assistant D.R. C. H. B. Primrose		85. Wellingrove		29 Aug., 1879
39. Hartley, Lithgow	William Patk. Macdermott	25 July, 1869		Registrar.)	0,
	(auctioneer.)		Vegetable Creek	. George Henry Gowe	r 1 May, 1878
	Joseph Ede Pearce, P.M			(Warden's Clerk.)	20 4 13 100
Hillston	N. C. O'Neill	1 Oct., 1878	86. Wellington	T 1 TO 1 TO 3 TO 3 TO 3 TO 3 TO 3 TO 3 T	
41. Inverell	Wm. Clare Cardew, C.P.S	1 April, 1875	87. Wentworth 88. Windsor	THE TE DI GOOD	
42. Kiama	Henry Connell, junr., C.P.S. Wiliam Long (schoolmaster)	5 June, 1863 8 June, 1866	89. Wollombi	1 1 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
THE LIVELDOOL	R. R. Armstrong	1 Sept., 1878	90. Wollongong		
Lord Howe Island	Thos. J. Thompson (post-		91. Yass	Leopold Yates, C.P.S	
Lord Howe Island		0,	Gunning		, 1 Sept., 187
Lord Howe Island 44. Macdonald River	master.)		0,000	001111 2 10011 32011, 011, 012 1101	,
Lord Howe Island 44. Macdonald River 45. Macleay River	J. B. Casey, C.P.S			Assistant D.R.	
Lord Howe Island 44. Macdonald River	J. B. Casey, C.P.S		92. Young	Assistant D.R. J. R. Edwards, C.P.S	2 Aug., 186
Lord Ĥowe Island 44. Macdonald River 45. Macleay River	J. B. Casey, C.P.S	1 Nov., 1877		Assistant D.R. J. R. Edwards, C.P.S	2 Aug., 186